

Dy-Mark



PRODUCT GUIDE



www.dymark.com.au





COMPANY INTRODUCTION



QUALITY

- We have a state of the art manufacturing facility in Brisbane producing many of our best selling products which must meet and pass our high quality standards.
- We also partner with leading global manufacturers and suppliers to ensure we bring to market world leading products offering our customers exceptional value for money.



INNOVATION

- We always consider all factors needed to produce a world leading product pushing the boundaries of innovation in regards to product packaging, formulations, sourcing of quality raw materials and environmentally sustainable manufacturing practices.



SERVICE

- Our talented customer service team is dedicated to listening and providing over and above solutions to any request.
- We offer multiple platforms for seamless communication and ease of ordering.
- We strategically placed multi-location warehouses for faster and more efficient delivery.



INTEGRITY

- For the past 50 years we have built strong, positive relationships with both our internal and external stakeholders. We are committed to continue to meet and exceed those expectations and act ethically to ensure we remain a leading global organisation.



*Our service
guarantee that puts
our customers first*



Dy-Mark Difference

Our **dedication** is based on our unique culture and **positive** "can do" attitude to always put our customers first. We do this by providing open channels for quick and concise responses.

**SIGN UP &
ORDER ONLINE**



www.dymark.com.au



Dy-Mark

COMMITTED TO INDUSTRY

Dy-Mark takes pride in building strong relationships with key industrial sectors throughout the world. This ensures the continuous expansion of our product range that has direct relevance to servicing the needs of our customers.



Agriculture | Forestry | Landscaping



Construction | Engineering



Government | Defence



Commercial | Manufacturing | Transport



Mining



Sports | Recreation





DIRECTORS' MESSAGE

Each year our high quality, globally competitive products continue to position Dy-Mark at the forefront of competitors. Our ability to excel in areas including product innovation and customer service is a great testament to our growing number of staff who promote our unique and inspired culture.

Dy-Mark's 50th anniversary was a time to reflect and commend our team on the dedication, planning and development that is displayed each day across the company.

Our reputation as a company synonymous with performance, reliability and quality ensures Dy-Mark continues to be an industry leader in the Australian and international aerosol markets. Safety is a top priority for Dy-Mark and whether working with large or small businesses, the message has and always will be on providing products that exceed industry standards.

As we successfully develop and bring to market products that stand out in terms of technological application and design, our focus will continue to be on redesigning existing products to improve their performance and enhance the user experience.

Evidently, Dy-Mark's success and longevity in global markets lies in our dedication to building close relationships with industries all over the world which has become an exemplar of industry needs.



If you have a special request or cannot find what you are looking for in this catalogue then we would like to hear about it...

CALL US ON 1300 396 275

CONTENTS PAGE



MARKING PRODUCTS 7–46

• Aerosol Paints	8
• Bulk Paints	18
• Inks & Dyes	19
• Stencilling	25
• Markers & Crayons	30
• Tools & Accessories	43

Dy-Mark's marking range provides high quality products that offer industry users a professional finish for both permanent and temporary markings.



METAL PROTECTION & FLOOR COATINGS 47–55

• Metal Protection	48
• Floor Coatings	53
• Tools and Accessories	55

The protective and decorative coatings range offers products that deliver constant protection for a wide range of surfaces from the environmental effects of dirt, stains, corrosion and rust.



MAINTENANCE 56–64

• Aerosol Cleaners & Lubricants	57
• Cleaning Solvents	63
• Bulk Cleaners	64

Dy-Mark's maintenance range offers a selection of cleaners and lubricants to fight against the harshest of elements. The newest addition to this range is the Dy-Mark PROTECH® cleaners & lubricants.



INDUSTRIAL PACKAGING 65–70

• Tape	66
• Strapping	67
• Wrapping	70

Dy-Mark's packaging range offers quality products that provide a highly cost-effective solution for any taping, strapping or wrapping despatch job, with reliable stock supplies and fast service.

MARKING PRODUCTS

Aerosol Paints

Spray & Mark	8
Spray & Mark Water-Based	8
Spray Lacquer	10
Spray Ink	11
Line Marking Paint	12
Turf Master	13
Mine Marking	14
Mine Marking Non-Flammable	15
Landscape Chalk	16
Spray Writer	17
Steadfast Stock Mark	17

Bulk Paint

Line Marking Paint – Solvent-Based	18
Line Marking Paint – Water-Based	18

Inks & Dyes

Stencil Roller Ink R200	19
Industrial Refillable Ink P200	19
Stencil Roller Ink R600	19
Marker Refill Ink WB50	20
Stamp Pad Ink S200	20
Ballmarker Refill Ink T400	21
Ballmarker Refill Ink PB80	21
Balemark Ink BM200	21
Stress Grading Ink WB800	22
Engineers Layout Ink (LOS)	22
Coda Ink	22
Coda Solvent	22
Flawchek System	23
Rock Coding Ink	24
Spray Marker Dye	24

Stencilling

Car Park Stencil Kit	25
Safety Stencils	25
Clock Face Stencils	26
Zinc Stencil Sets	27
Brass Interlocking Stencils	27
Stencil Mate Brush Head	28
Stencil Mate Roller Head	28
Stencil Mate Lacquer	28
Stencil Roller & Ink Pad 350	29
Stencil Refillable Roller CF600	29
Stencil Roller Brander DM100	29

Markers & Crayons

Industrial Marker D10	31
Industrial Marker Duo	31
Industrial Marker D90	31
Industrial Refillable Ballmarker	31
Ink Marker i70	32
Ink Marker i90	32
Ink Marker iMega	32
Ink Marker iFine	32
Ink Marker iFlip	32
Paint Marker P10	33
Paint Marker P20	33
Paint Marker P30	33
Paint Marker WB50	34
Paint Marker WB10	34
Artline Marker 70	35
Artline Marker 90	35
Artline Marker 100	35
Artline Marker 400XF	35
Ideal Marker	35
Maruzen Marker	36
Mark-Tex Texpen	36
Trades-Marker	36
Tekkit Touch Up Paint Pen	37
Red-Riter Marker	38
Silver-Streak Marker	38
Markal Paintstik K	39
Markal Paintstik H	39
Markal Paintstik H-T	39
Markal Paintstik B	39
Markal Paintstik B-L	40
Markal Paintstik P	40
Markal Paintstik M	40
Markal Paintstik Professional Set	40
Markal Ultrascan	40
Markal All-Weather Paintstik	40
Leviathan Industrial Crayons	41
Leviathan Lumber Crayons	41
Markal Thermomelts	42
Engineering Chalk	42

Tools & Accessories

2-Wheel Spot Marking Handle	43
Long Arm Handle	43
Line Master	44
Measuring Wheel	45
Survey/Flagging Pins	45
Survey/Flagging Tape	45
Mine Marking Handle	46





Aerosol Paints

Premium Marking *High Visibility*



All Dy-Mark paints have the highest industry standard percentage of pigment loading instead of relying on cheaper fillers to provide opacity. This means truer colours providing vibrant and highly visible marks with the least likelihood to fade from their original tone.



SPRAY & MARK

Marking Out Paint

350g | Qty 12

Features & Benefits

- Premium marking out paint
- Toluene-free formula
- Designed for inverted use
- High opacity, high quality, true colour pigment loading
- Bright colour range for highly visible marks
- Applications include: construction, landscaping, civil works and surveying
- Unique spray pattern specifically designed for spot marking as well as "writing" applications
- Suitable for use with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle
- Spray & Mark Holsters also available to provide easy access to your marking paint



Inverted Spray (Trigger Cap)

Spray & Mark (Inverted Spray)

	Spray & Mark Black	40013501
	Spray & Mark Grey	40013558
	Spray & Mark Red	40013502
	Spray & Mark Blue	40013503
	Spray & Mark Green	40013504
	Spray & Mark Yellow	40013505
	Spray & Mark Orange	40013506
	Spray & Mark White	40013511
	Spray & Mark Violet	40013558

Spray & Mark (Fluoro) (Inverted Spray)

	Spray & Mark Fluoro Red	40013522
	Spray & Mark Fluoro Blue	40013523
	Spray & Mark Fluoro Green	40013524
	Spray & Mark Fluoro Yellow	40013525
	Spray & Mark Fluoro Orange	40013526
	Spray & Mark Fluoro Violet	40013528
	Spray & Mark Fluoro Pink	40013529



Suitable Surfaces

Concrete, bitumen, rock, steel, timber and general broken ground



Coverage

Will produce 200 'X' marks, 80–100m in a 50mm continuous line, or cover 4–6 sqm per aerosol can



Drying Time

5 minutes at 25°C



Ideal Application Temperature

Between 10°C and 40°C



HANDY TIP

Long Arm Handle

2-Wheel Spot Marking Handle

Spray & Mark aerosols are suitable for use with the Dy-Mark Long Arm Handle and Dy-Mark 2-Wheel Spot Marking Handle.

(See page 43)

SPRAY & MARK WATER-BASED

Marking Out Paint

350g | Qty 12

Features & Benefits

- Reduced toxicity marking paint for a safer workplace
- Low VOC and low odour
- Brighter colour range for highly visible marks
- Toluene-free formula
- Suitable for use with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle
- 360 degree valve for any angle application



Upright/Inverted Spray (Trigger Cap)

Spray & Mark Water-Based (Upright/Inverted Spray)

	Spray & Mark W-B Red	40063502
	Spray & Mark W-B Blue	40063503
	Spray & Mark W-B Yellow	40063505
	Spray & Mark W-B White	40063511

Spray & Mark Water-Based (Fluoro) (Upright/Inverted Spray)

	Spray & Mark W-B Fluoro Green	40063524
	Spray & Mark W-B Fluoro Orange	40063526
	Spray & Mark W-B Fluoro Pink	40063529



Toluene-free formula discourages chroming. **Aerosols are CFC Free.** Contains no other substances which deplete the ozone layer. Please **recycle** when empty.



Suitable Surfaces

Concrete, bitumen, grass, rock, steel, timber and general broken ground



Coverage

Will produce 200 'X' marks, 80–100m in a 50mm continuous line, or cover 4–6 sqm per aerosol can



Drying Time

5 minutes at 25°C



Ideal Application Temperature

Between 5°C and 40°C



Aerosol Paints



SPRAY LACQUER

Colour Coding Paint | 350g | Qty 12

Features & Benefits

- High quality paint for stencil and colour coding applications
- Fade resistant durable marks on steel and timber
- Colour range is matched to Australian steel industry standards
- Standard Spray Lacquer non-fluoro colours can be removed in a pickling bath



Suitable Surfaces

Metals, timber



Coverage

Approximately 2 sqm
per aerosol can
(depending on the surface)



Drying Time

10 minutes at 25°C



Ideal Application Temperature

Between 5°C and 40°C

DATA SHEETS



*Please refer to the relevant
Safety Data Sheets before using any
Dy-Mark product. Also follow the
detailed instructions on the back
of can, or Technical Data Sheets.*

Spray Lacquer (Horizontal Spray)

	Spray Lacquer UV Clear	39023500
	Spray Lacquer Black	39023501
	Spray Lacquer Signal Red	39023502
	Spray Lacquer Bluebell	39023503
	Spray Lacquer Violet	39023508
	Spray Lacquer White	39023511
	Spray Lacquer Jade	39023544
	Spray Lacquer Custard Yellow	39023565

Spray Lacquer (Fluoro) (Horizontal Spray)

	Spray Lacquer Fluoro Orange	39023526
	Spray Lacquer Fluoro Pink	39023529





Aerosol Paints



SPRAY INK

Stencil Paint | 315g | Qty 12

Features & Benefits

- Specially formulated for stencil applications
- Toluene-free formula
- Unique formulation minimises build-up when used on stencils
- Fast drying and fade resistant paint
- Reduced spray drift allowing maximum accuracy of spray pattern



Suitable Surfaces

All surfaces



Coverage

Approximately 3 sqm per aerosol can (depending on the surface)



Drying Time

10 minutes at 25°C



Ideal Application Temperature

Between 5°C and 40°C

Spray Ink (Horizontal Spray)

	Spray Ink Black	39013501
	Spray Ink Red	39013502
	Spray Ink Blue	39013503
	Spray Ink Green	39013504
	Spray Ink Yellow	39013505
	Spray Ink Orange	39013506
	Spray Ink Brown	39013507
	Spray Ink White	39013511
	Spray Ink Covers Over Tan	39013514
	Spray Ink Army Green	39013534
	Spray Ink Camouflage Green	39013584



DON'T POINT AND SHOOT



To obtain an even coat of paint, sweep the can horizontally past the object as you spray. Don't point and shoot, as this will cause an uneven build up of paint on the object. Always apply light coats rather than one heavy coat in order to achieve a uniform finish.

HANDY TIP

Spray Ink can be used with our Zinc Stencil and Brass Interlocking Stencil sets.

See page 27 for more information.



Zinc Stencils



Brass Interlocking Stencils



LINE MARKING PAINT

Durable Line Marking Paint | 500g | Qty 12

Features & Benefits

- A fast drying toluene-free formula acrylic paint
- Ideal for marking out car parks, factories, warehouses, sporting fields and courts
- Specially formulated to provide long lasting lines
- Designed for use with the Dy-Mark Line Master (See page 44)



Suitable Surfaces

Concrete, bitumen, grass, soil, timber



Coverage

80–100 metres of line per aerosol can (depending on line width)



Drying Time

10 minutes at 25°C



Ideal Application Temperature

Between 5°C and 40°C

Line Marking Paint (Inverted Spray)

	Line Marking Clear	41015000
	Line Marking Matt Black	41015001
	Line Marking Red	41015002
	Line Marking Blue	41015003
	Line Marking Green	41015004
	Line Marking Yellow	41015005
	Line Marking Orange	41015006
	Line Marking White	41015011
	Line Marking Grey	41015013
	Line & Hand Marking White	41035011
	Line & Hand Marking Yellow	41035035



Inverted Spray

WATCH THE VIDEO ON | **You Tube**





TURF MASTER

Temporary Grass Marking Paint | 500g | Qty 12

Features & Benefits

- Ideal for landscaping and sporting grounds
- Quick dry, toluene-free formula
- Low toxicity formula does not damage grass
- Designed for use with the Dy-Mark Line Master (See page 44)



Suitable Surfaces
Grass



Coverage
80–100 metres of line
per aerosol can
(depending on line width)



Drying Time
10 minutes at 25°C



Ideal Application Temperature
Between 5°C and 40°C

Turf Master (Inverted Spray)

Turf Master White	41125011
-------------------	----------



Inverted Spray



HANDY TIP



Use Line Marking Paint and Turf Master Paint with the Dy-Mark Line Master for precise and clear lines.

See page 44 for more information.



MINE MARKING

Marking Out Paint | 350g | Qty 12

Features & Benefits

- Specially formulated for above/below ground areas
- High opacity, high quality, true colour pigment loading
- 360 degree valve for any angle application
- Applications include marking out ore zones in grading control, pit walls and survey grid layouts
- Highly visible marks on dark surfaces
- Two nozzle options available for upright/inverted spray or horizontal spray application
- Vertical spray is suitable for use with the Dy-Mark Mine Marking Handle (5m extension) (See page 46)



Suitable Surfaces

Rock, dirt, gravel



Coverage

Approximately 2–4 sqm per aerosol can (depending on the surface)



Drying Time

3 minutes at 25°C



Ideal Application Temperature


Between 10°C and 40°C

Two nozzle options available:



Horizontal Spray

or



Upright/Inverted Spray (Trigger Cap)

Mine Marking (Horizontal Spray)

	Mine Marking Horz Black	38013501
	Mine Marking Horz Red	38013502
	Mine Marking Horz Blue	38013503
	Mine Marking Horz Green	38013504
	Mine Marking Horz Yellow	38013505
	Mine Marking Horz Orange	38013506
	Mine Marking Horz White	38013511

Mine Marking (Upright/Inverted Spray)

	Mine Marking Vert Black	38033501
	Mine Marking Vert Red	38033502
	Mine Marking Vert Blue	38033503
	Mine Marking Vert Green	38033504
	Mine Marking Vert Yellow	38033505
	Mine Marking Vert Orange	38033506
	Mine Marking Vert White	38033511

Mine Marking (Fluoro) (Horizontal Spray)

	Mine Marking Horz Fluoro Red	38013522
	Mine Marking Horz Fluoro Blue	38013523
	Mine Marking Horz Fluoro Green	38013524
	Mine Marking Horz Fluoro Yellow	38013525
	Mine Marking Horz Fluoro Orange	38013526
	Mine Marking Horz Fluoro Pink	38013529

Mine Marking (Fluoro) (Upright/Inverted Spray)

	Mine Marking Vert Fluoro Red	38033522
	Mine Marking Vert Fluoro Blue	38033523
	Mine Marking Vert Fluoro Green	38033524
	Mine Marking Vert Fluoro Yellow	38033525
	Mine Marking Vert Fluoro Orange	38033526
	Mine Marking Vert Fluoro Pink	38033529



MINE MARKING NON-FLAMMABLE

Marking Out Paint | 400g | Qty 12

Features & Benefits

- Non-flammable layout marker
- Formulated for use in underground mines and other fire sensitive situations
- 360 degree valve for any angle application
- Bright, highly visible marks on dark surfaces
- Two nozzle options available for upright/inverted spray or horizontal spray application
- Vertical spray is suitable for use with Dy-Mark Mine Marking Handle (5m extension) (See page 46)



Suitable Surfaces

Rock, dirt, gravel



Coverage

Approximately 2–4 sqm per aerosol can (depending on the surface).



Drying Time

5 minutes at 25°C



Ideal Application Temperature

Between 10°C and 40°C

Mine Marking Non-Flammable (Horizontal Spray)

	Mine Marking NF Horz Red	38023502
	Mine Marking NF Horz Yellow	38023505
	Mine Marking NF Horz Orange	38023506
	Mine Marking NF Horz White	38023511

Mine Marking Non-Flammable (Upright/Inverted Spray)

	Mine Marking NF Vert Red	38043502
	Mine Marking NF Vert Yellow	38043505
	Mine Marking NF Vert Orange	38043506
	Mine Marking NF Vert White	38043511

Mine Marking Non-Flammable (Fluoro) (Horizontal Spray)

	Mine Marking NF Horz Fluoro Red	38023522
	Mine Marking NF Horz Fluoro Orange	38023526
	Mine Marking NF Horz Fluoro Pink	38023529

Mine Marking Non-Flammable (Fluoro) (Upright/Inverted Spray)

	Mine Marking NF Vert Fluoro Red	38043522
	Mine Marking NF Vert Fluoro Orange	38043526
	Mine Marking NF Vert Fluoro Pink	38043529

HANDY TIP

Use Mine Marking and Mine Marking Non-Flammable with the Dy-Mark Mine Marking Handle to mark underground mine ceilings.

Dy-Mark Mine Marking Handle will extend up to 5 metres.

See page 46 for more information.

Note: For use with Upright/Inverted spray nozzle only (trigger cap).





LANDSCAPE CHALK

Temporary Marking Chalk | 350g | Qty 12

Features & Benefits

- Ideal for surveying sites, golf courses, excavation and construction sites
- Fast-dry formula lasting up to 30 days
- Suitable for use with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle (See page 43)
- 360 degree valve for any angle application



Suitable Surfaces

Concrete, bitumen, rock, grass and general broken ground



Coverage

Will produce 200 'X' marks, 80–100m in a 50mm continuous line, or cover 4–6 sqm



Drying Time



10 minutes at 25°C



Ideal Application Temperature

Between 5°C and 40°C

Landscape Chalk (Inverted Spray)

	Landscape Chalk Yellow	23183505
	Landscape Chalk White	23183511



Inverted Spray (Trigger Cap)

HANDY TIP

Use Landscape Chalk with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle. (See page 43)



Long Arm Handle

2-Wheel Spot Marking Handle



SPRAY WRITER



Forestry & Plantation Marking Paint 350g | Qty 12

Features & Benefits

- Reduced toxicity marking paint with low odour
- Toluene-free formula
- Ideal for all natural and cut timber applications
- Will mark wet surfaces without cracking and peeling
- Unique formulation reduces spray drift allowing maximum accuracy of spray pattern
- Ideal for the forestry and timber processing industries
- 360 degree valve for any angle application



Suitable Surfaces

Natural and cut timber, concrete, masonry, bitumen



Coverage

Approximately 2 sqm per aerosol can (depending on the surface).



Drying Time

10 minutes at 25°C



Ideal Application Temperature

Between 5°C and 40°C

Spray Writer (Horizontal Spray)

	Spray Writer Black	37023501
	Spray Writer Red	37023502
	Spray Writer Blue	37023503
	Spray Writer Green	37023504
	Spray Writer Yellow	37023505
	Spray Writer Orange	37023506
	Spray Writer Violet	37023508
	Spray Writer White	37023511

Spray Writer (Fluoro) (Horizontal Spray)

	Fluoro Red	37023522
	Fluoro Blue	37023523
	Fluoro Green	37023524
	Fluoro Yellow	37023525
	Fluoro Orange	37023526
	Fluoro Pink	37023529

STEADFAST STOCK MARK



325g | Qty 12

Features & Benefits

- Long lasting marker
- Ideal for identifying stock by colour coding
- Fully scourable
- Complies with Australian Standard AS4054 1992



Suitable Surfaces

Wool



Coverage

Will produce 300–400 marks per aerosol can



Drying Time

10 minutes at 25°C



Ideal Application Temperature

Between 5°C and 40°C

Steadfast Stock Mark (Horizontal Spray)

	Steadfast Stock Mark Red	32SB1702
	Steadfast Stock Mark Blue	32SB1703
	Steadfast Stock Mark Green	32SB1704
	Steadfast Stock Mark Orange	32SB1706
	Steadfast Stock Mark Violet	32SB1708



LINE MARKING PAINT – SOLVENT-BASED



Suitable Surfaces

Asphalt, concrete and tar-sealed surfaces



Coverage

2.5 sqm per litre



Drying Time

Touch dry in 5 minutes at 25°C
Recoat after 2 hours at 25°C



Ideal Application Temperature

Between 10°C and 40°C

4L, 20L

Features & Benefits

- A chlorinated fast drying rubber-alkyd paint designed for application over asphalt, tar-sealed and concrete surfaces
- Specially formulated to provide long lasting lines
- Ideal for marking out car parks, factories, warehouses, sporting fields and courts
- Toluene-free formula
- For use with airless spray guns, roller or brush

Line Marking Paint – Solvent-Based

	Line Marking Black	4L	41010401
	Line Marking Red	4L	41010402
	Line Marking Disable Blue	4L	41010403
	Line Marking Green	4L	41010404
	Line Marking Yellow	4L	41010405
	Line Marking White	4L	41010411
	Line Marking Grey	4L	41010413
	Line Marking Black	20L	41012001
	Line Marking Red	20L	41012002
	Line Marking Disable Blue	20L	41012003
	Line Marking Green	20L	41012004
	Line Marking Yellow	20L	41012005
	Line Marking Orange	20L	41012006
	Line Marking White	20L	41012011
	Line Marking Grey	20L	41012013

LINE MARKING PAINT – WATER-BASED



Suitable Surfaces

Concrete, bitumen



Coverage

2.5 sqm per litre



Drying Time

Touch dry in 5 minutes at 25°C
Hard dry in 1 hour at 25°C



Ideal Application Temperature

Between 10°C and 40°C

15L

Features & Benefits

- A fast drying water-based acrylic paint
- Specially formulated to provide long lasting lines
- Reduced toxicity marking paint for a safer workplace
- Low VOC and low odour

Line Marking Paint – Water-Based

	Line Marking W-B Black	15L	41011501
	Line Marking W-B Red	15L	41011502
	Line Marking W-B Yellow	15L	41011505
	Line Marking W-B White	15L	41011511

STENCIL ROLLER INK R200



1L, 20L

Features & Benefits

- Ideal for use when stencilling on to non-porous surfaces such as drums, metal, plastic and glass
- Durable, reduced fading when exposed to light
- For use with Stencil Refillable Roller CF600 or Stencil Roller and Ink Pad 350 (See page 29)

Stencil Roller Ink R200

	R200 Black	1L	13020101
	R200 Red	1L	13020102
	R200 Blue	1L	13020103
	R200 Green	1L	13020104
	R200 Yellow	1L	13020105
	R200 White	1L	13020111
	R200 Black	20L	13022001
	R200 Red	20L	13022002
	R200 Blue	20L	13022003

INDUSTRIAL REFILLABLE INK P200



1L, 20L

Features & Benefits

- Permanent ink
- Suitable for non-absorbent surfaces such as glass, plastics and steel
- Designed for use with the Dy-Mark Industrial Marker D90 (See page 31)

Industrial Refillable Ink P200

	P200 Ink Black	1L	10120101
	P200 Ink Red	1L	10120102
	P200 Ink Blue	1L	10120103
	P200 Ink Green	1L	10120104
	P200 Ink Black	20L	10122001
	P200 Ink Red	20L	10122002

STENCIL ROLLER INK R600



1L, 20L

Features & Benefits

- Dye-based, general purpose ink designed for marking porous surfaces such as timber and cardboard
- UV resistant
- Designed for use with Stencil Roller and Ink Pad 350 and Stencil Refillable Roller CF600 (See page 29)
- Suitable for use with Timber Branders and Roller Ink Applicators

Stencil Roller Ink R600

	R600 Black	1L	13060101
	R600 Red	1L	13060102
	R600 Blue	1L	13060103
	R600 Green	1L	13060104
	R600 Black	20L	13062001
	R600 Red	20L	13062002
	R600 Blue	20L	13062003



MARKER REFILL INK WB50 NON-FLAMMABLE








500ml

Features & Benefits

- Low VOC
- Odourless water-based ink for refilling Dy-Mark WB50 (See page 34)
- Durable formula
- Ideal for marking metal, concrete, wood, plastic and other surfaces

Marker Refill Ink WB50

	Marker Refill Ink WB50 Black	500ml	12745001
	Marker Refill Ink WB50 Red	500ml	12745002
	Marker Refill Ink WB50 Blue	500ml	12745003
	Marker Refill Ink WB50 Yellow	500ml	12745005
	Marker Refill Ink WB50 White	500ml	12745011

STAMP PAD INK S200



Stamp Pad Ink S200 | 1L

Features & Benefits

- Fade resistant and permanent ink
- Suitable for use on non-absorbent surfaces such as glass, plastics and steel

Stamp Pad Ink S200

	Stamp Pad Ink S200 Black	1L	26020101
	Stamp Pad Ink S200 Red	1L	26020102
	Stamp Pad Ink S200 Blue	1L	26020103
	Stamp Pad Ink S200 Green	1L	26020104
	Stamp Pad Ink S200 Violet	1L	26020108



HANDY TIP

Marker Refill Ink WB50 is to be used with Water-Based Paint Markers.
(See page 34)



BALLMARKER REFILL INK T400



1L, 20L

Features & Benefits

- T400 Ink will mark on any surface, penetrating grease, oil and rust
- Opaque, waterproof and fade resistant ink
- Extremely durable in all environmental conditions

Ballmarker Refill Ink T400

	T400 Black	1L	11010101
	T400 Red	1L	11010102
	T400 Blue	1L	11010103
	T400 Green	1L	11010104
	T400 Yellow	1L	11010105
	T400 Orange	1L	11010106
	T400 White	1L	11010111
	T400 Black	20L	11012001
	T400 Red	20L	11012002
	T400 Blue	20L	11012003
	T400 Green	20L	11012004
	T400 Yellow	20L	11012005
	T400 White	20L	11012011

BALLMARKER REFILL INK PB80



1L

Features & Benefits

- Specially formulated to be removable by the pickling process (ensuring no bleed through during the galvanising process)
- Opaque, waterproof and fade resistant ink

Ballmarker Refill Ink PB80

	PB80 White	1L	11800111
--	------------	----	----------

Use Ballmarker Refill with Industrial Refillable Ballmarker.

(See page 31 for more information).



BALEMARK INK BM200



1L, 20L

Features & Benefits

- Suitable for porous surfaces
- Durable & fade resistant
- Ideal for use with the CF600 Refillable Stencil Applicator (See page 29)

Balemark Ink BM200

	BM200 Black	1L	13410101
	BM200 Black	20L	13412001



STRESS GRADING INK WB800



10L, 20L

Feature & Benefits

- Used for coding stress-graded timber
- Fade resistant, concentrated formula
- Suitable for use with automatic stress-grading machines and green chain branders

Stress Grading Ink WB800

	WB800 Black	10L	14081001
	WB800 Red	10L	14081002
	WB800 Green	10L	14081004
	WB800 Violet	10L	14081008
	WB800 Black	20L	14082001
	WB800 Green	20L	14082004
	WB800 Violet	20L	14082008

ENGINEERS LAYOUT INK (LOS)



1L | Qty 10

Feature & Benefits

- Ideal for marking on hard surfaces such as metal and glass
- The ideal product for tool and die makers, machinists, pattern makers, sheet metal workers and maintenance mechanics

Engineers Layout Ink

	Engineers Layout Ink Black	1L	24010101
	Engineers Layout Ink Red	1L	24010102
	Engineers Layout Ink Blue	1L	24010103
	Engineers Layout Ink Green	1L	24010104
	Engineers Layout Ink White	1L	24010111

CODA INK



1L | Qty 10

Feature & Benefits

- Fast drying time
- Suitable for use on non-porous substrates such as plastic, glass and metal
- Ideal for stamping applications on the back of photos

Coda Ink

	Coda Ink 1 Black	1L	25010101
	Coda Ink 1 Red	1L	25010102
	Coda Ink 1 Blue	1L	25010103
	Coda Ink 2 Black	1L	25020101
	Coda Ink 2 Blue	1L	25020103
	Coda Ink 3 Black	1L	25030101
	Coda Ink 6 Black	1L	25060101
	Coda Ink 6 Red	1L	25060102
	Coda Ink 6 Blue	1L	25060103

CODA SOLVENT



1L | Qty 10

Feature & Benefits

- Enables printing on flexible, uncoated vinyl substrates
- Fast drying time and excellent fade-resistance
- Waterproof and UV resistant

Coda Solvent

	Coda Solvent 2	1L	25020100
---	----------------	----	----------



FLAWCHEK SYSTEM



Four-part visible “Crack Detection” inspection process

Features & Benefits

- Dye penetration visible inspection system that detects cracks and flaws in metals and castings
- 4-step system – Preclean, Penetrant, Remover and Developer
- Fast, efficient and cost effective method
- Conforms to AS2062 TYPE 2 METHOD C

Flawchek “Crack Detection” System Kit



Flawchek “Crack Detection” System

Flawchek Step 1 Preclean	350g	19013501
Flawchek Step 2 Penetrant	350g	19013502
Flawchek Step 3 Remover	350g	19013503
Flawchek Step 4 Developer	350g	19013504
Flawchek Step 1 Preclean	1L	19010101
Flawchek Step 2 Penetrant	1L	19010102
Flawchek Step 3 Remover	1L	19010103
Flawchek Step 4 Developer	1L	19010104

Flawchek “Crack Detection” System Kit

Flawchek 4-part Inspection Kit	Box	19013599
--------------------------------	-----	----------

CONTROL AND RECOMMENDATION GUIDE

Step 1 – Preclean (Grey)

Part/area to be inspected must be dry and free from any surface contamination (such as grease, oils, rust and paint). Surface contaminants can cover a flaw, inhibiting the entrance of the dye.

Step 2 – Penetrant (Red)

Spray Penetrant Dye over the area that is to be inspected. Allow penetrant to dwell for 10 minutes. Dwell time should be extended in extremely cold conditions. Area to be inspected should be kept wet with penetrant during the dwell time. Allow excess penetrant to drain.

Step 3 – Remover (Blue)

Spray Remover over the area covered by the penetrant and leave for a maximum of 2 minutes. Wipe over with a dry cloth.

Step 4 – Developer (White)

Spray a light coat of the Developer over the area to be inspected, avoiding a heavy film. Leave Developer to dry and inspect parts for flaws after 2 – 3 minutes. If very fine flaws are suspected, the parts should be re-inspected after 20 minutes.

The Flawchek system is a method of non-destructive testing which will detect flaws on metal surfaces

Note: These recommendations are based on tests conducted in normal conditions. Actual conditions of use are beyond Dy-Mark's control and recommendations are made without warranty.



ROCK CODING INK



20L

Features & Benefits

- Low VOC
- Ideal for identifying different grades of metal ore content prior to blasting
- Water-based formula that provides "bright" highly visible marks
- Non-permanent marks that will last up to 1 week outdoors
- Suitable for use in knapsack sprayers and with the airless spray method

Rock Coding Ink

Rock Coding Ink Red	20L	32402002
Rock Coding Ink Blue	20L	32402003
Rock Coding Ink Green	20L	32402004
Rock Coding Ink Yellow	20L	32402005
Rock Coding Ink Violet	20L	32402008
Rock Coding Ink White	20L	32402011

Rock Coding Ink (Fluoro)

Rock Coding Ink Fluoro Red	20L	32402022
Rock Coding Ink Fluoro Blue	20L	32402023
Rock Coding Ink Fluoro Green	20L	32402024
Rock Coding Ink Fluoro Yellow	20L	32402025
Rock Coding Ink Fluoro Orange	20L	32402026
Rock Coding Ink Fluoro Pink	20L	32402029

SPRAY MARKER DYE



500ml, 1L, 5L, 20L


Features & Benefits

- Premium, highly visible dye
- Stains target crops and plants allowing easy identification of sprayed areas
- Designed to be mixed with other chemical spray solutions (herbicides and pesticides)
- Prevents over-spraying and minimises the wastage of costly chemicals
- Colour fades in 3 to 5 days in sunlight and can be used in hand or knapsack sprayers, high volume sprayers or boom sprays

Spray Marker Dye

Spray Marker Dye Red	500ml	18005002
Spray Marker Dye Red	1L	18000102
Spray Marker Dye Red	5L	18000502
Spray Marker Dye Red	20L	18002002

CAR PARK STENCIL KIT



Features & Benefits

- Ideal for marking out applications in service areas, car parks, hospitals, warehouses, shopping centres and recreation areas
- Long-lasting and reusable stencils in heavy duty polypropylene material
- Apply stencil using Line Marking Paint and Line Master removable handle or by rolling or spraying (See pages 12 & 44)
- 11 piece kit

Car Park Stencil Kit



SAFETY STENCILS



Features & Benefits

- Long lasting and hardwearing mylar stencils with background (445mm x 445mm)
- Suitable for use with Dy-Mark Line Marking Paint, Spray Ink and Stencil Applicators (See pages 11, 12 & 28)

Safety Stencils

Stencil Hard Hat Area	13980101
Stencil No Smoking	13980102
Stencil Forklift Traffic Area	13980103
Stencil Watch Out For Forklifts	13980104
Stencil Up Arrow	13980105
Stencil Exit Arrow	13980106
Stencil Ear Protection Area	13980107
Stencil Stop Sign	13980108
Stencil Pedestrian Traffic Only	13980109
Stencil Slippery When Wet	13980110
Stencil Watch Your Step	13980111
Stencil Eye Protection Area	13980112

HANDY TIP

Dy-Mark Spray Ink, Line Marking Paint and Stencil Applicators are designed to be used with our Safety Stencils.
(See pages 11, 12 & 28)



Spray Ink Line Marking Paint Stencil Applicators



CLOCK FACE STENCILS



Features & Benefits

- Durable poly propylene material with easy grip-handle available in A – Z and 0 – 9
- Standard sizes are 50mm and 75mm (other sizes made to order)


Clock Face Stencils (A–Z)

Poly Clock Stencil A–Z 50mm	1389AZ50
Poly Clock Stencil A–Z 75mm	1389AZ75

Clock Face Stencils (0–9)

Poly Clock Stencil 0–9 50mm	13890950
Poly Clock Stencil 0–9 75mm	13890975

Sign up & order online





ZINC STENCIL SETS

Features & Benefits

- Easy to clean and re-usable solvent resistant zinc material
- Available in A-Z and 0-9



Zinc Stencil Sets (A-Z)

Zinc Stencil A-Z 12.5mm	13810112
Zinc Stencil A-Z 19mm	13810118
Zinc Stencil A-Z 25mm	13810125
Zinc Stencil A-Z 32mm	13810132
Zinc Stencil A-Z 38mm	13810138
Zinc Stencil A-Z 50mm	13810150
Zinc Stencil A-Z 64mm	13810164
Zinc Stencil A-Z 75mm	13810175
Zinc Stencil A-Z 100mm	13811100
Zinc Stencil A-Z 125mm	13811125
Zinc Stencil A-Z 150mm	13811150
Zinc Stencil A-Z 175mm	13811175
Zinc Stencil A-Z 200mm	13811200
Zinc Stencil A-Z 220mm	13811220
Zinc Stencil A-Z 250mm	13811250
Zinc Stencil A-Z 300mm	13811300
Zinc Stencil A-Z 400mm	13811400

Zinc Stencil Sets (0-9)

Zinc Stencil 0-9 12.5mm	13800112
Zinc Stencil 0-9 19mm	13800119
Zinc Stencil 0-9 25mm	13800125
Zinc Stencil 0-9 32mm	13800132
Zinc Stencil 0-9 38mm	13800138
Zinc Stencil 0-9 50mm	13800150
Zinc Stencil 0-9 64mm	13800164
Zinc Stencil 0-9 75mm	13800175
Zinc Stencil 0-9 100mm	13801100
Zinc Stencil 0-9 115mm	13801120
Zinc Stencil 0-9 125mm	13801125
Zinc Stencil 0-9 150mm	13801150
Zinc Stencil 0-9 175mm	13801175
Zinc Stencil 0-9 200mm	13801200
Zinc Stencil 0-9 220mm	13801220
Zinc Stencil 0-9 250mm	13801250
Zinc Stencil 0-9 300mm	13801300
Zinc Stencil 0-9 400mm	13801400
Zinc Stencil 0-9 500mm	13801500

BRASS INTERLOCKING STENCILS

Features & Benefits

- Convenient, heavy-duty interlocking stencils
- Ideal for jobs where wording changes frequently
- Available in A - Z and 0 - 9

Brass Interlocking Stencil Sets (A-Z)

Interlocking Stencil A-Z 25mm	13711025
Interlocking Stencil A-Z 50mm	13711050
Interlocking Stencil A-Z 75mm	13711075
Interlocking Stencil A-Z 100mm	13711100
Interlocking Stencil A-Z 125mm	13711125
Interlocking Stencil A-Z 150mm	13711150

Brass Interlocking Stencil Sets (0-9)

Interlocking Stencil 0-9 12mm	13700012
Interlocking Stencil 0-9 25mm	13700025
Interlocking Stencil 0-9 50mm	13700050
Interlocking Stencil 0-9 75mm	13700075
Interlocking Stencil 0-9 100mm	13701100
Interlocking Stencil 0-9 125mm	13701125
Interlocking Stencil 0-9 150mm	13701150






STENCIL MATE BRUSH HEAD



Features & Benefits

- Ideal for stencilling on to rough timber, wool bales, hessian sacks and uneven surfaces
- Refill with BM200 Balemark Ink cartridges or Stencil Mate Lacquer cartridges (See page 21 & listed below)

Stencil Mate Brush Head

	Stencil Mate Brush Head	15200000
---	-------------------------	----------



STENCIL MATE ROLLER HEAD



Features & Benefits

- An economical and clean method of applying stencils to any surface
- Features central ink feed and disposable ink cartridge handle
- Use with Stencil Mate Lacquer cartridges
- No liquid ink filling required

Stencil Mate Roller Head

	Stencil Mate Roller Head 75mm	15010100
	Stencil Mate Repl. Roller Cover 75mm	15000100







STENCIL MATE LACQUER



Features & Benefits

- Ideal for bold, permanent marks on porous or non-porous surfaces
- Use on drums, timber, plastic pallets, steel, glass, concrete and cardboard boxes
- Apply with the Dy-Mark Stencil Mate Roller or Brush
- Convenient and easy clean up

Stencil Mate Lacquer

	Stencil Mate Lacquer Black	15020101
	Stencil Mate Lacquer Red	15020102
	Stencil Mate Lacquer Blue	15020103
	Stencil Mate Lacquer Green	15020104
	Stencil Mate Lacquer Yellow	15020105
	Stencil Mate Lacquer White	15020111



STENCIL ROLLER & INK PAD 350



Features & Benefits

- Ideal for marking on both porous and non-porous surfaces
- No cleaning of roller required
- Use with Stencil Roller Ink R200 or R600 (See page 19)

Stencil Roller & Ink Pad 350

Roller, Handle & Cover 350 75mm	13550000
Roller Pad 350 180mm x 100mm	13500012

STENCIL REFILLABLE ROLLER CF600



Features & Benefits

- Easy to use, refillable and economical stencil applicator
- Features pump valve action with internal feed to the roller

Stencil Refillable Roller CF600

Roller Refillable CF600 75mm	13010000
Stencil Mate Repl. Roller Cover 75mm	15000100

STENCIL ROLLER BRANDER DM100



Features & Benefits

- Designed to mark timber grade, company logo and mill number along lengths and across packs of timber
- Prints your message 100mm wide with repeats every 155mm
- Made from cast aluminium for extra durability and strength
- Use with R600 Multi-Purpose Ink (See page 19)

Stencil Roller Brander DM100

Roller Brander DM100	14200000
Roller Replacement Felt DM100	14200001

Stencil Stereo and Print Drum

Stencil Stereo and Print Drum	14200100
-------------------------------	----------

MARKERS & CRAYONS REFERENCE GUIDE

Specialty	Markal	Dy-Mark Industrial Markers	Features & Benefits																			
				Refillable	Replacement Nibs	Permanent	Liquid Paint (Permanent)	Solid Paint	Ink	Xylene Free	Removed in galvanising process	Hot surface marking	Surfaces	Metal	Wood	Damp Wood	Glass & Ceramics	Plastics	Rubber	Concrete & Stone	Paper	Cardboard
Mark-Tex Texpen																						
Maruzen Marker																						
Ballmarker T400																						
Ballmarker PB80																						
Red-Riter Marker																						
Silver-Streak Marker																						
Trades-Marker																						
Thermomelts																						
K Paintstik																						
HT Paintstik																						
H Paintstik																						
M Paintstik																						
P Paintstik																						
BL Paintstik																						
B Paintstik																						
Ink Mark i70																						
Ink Marker i90																						
Ink Marker iFine																						
Ink Marker iFlip																						
Ink Marker iMega																						
Paint Marker WB50																						
D90 Industrial Marker																						
Dy-Mark D10																						
Dy-Mark Duo																						
Dy-Mark P30																						
Dy-Mark P20																						
Dy-Mark P10																						



INDUSTRIAL MARKERS

Industrial Marker D10



Reversible Tip | Qty 12

Features & Benefits

- Permanent ink marker suitable for surfaces that need an indelible mark
- Fast dry, smear-resistant ink
- Ideal for mining, manufacturing and metal fabrication industries

D10 Black 12081001



Pen Dimensions
135mm x 16mm



Mark Width
Chisel Tip – 4mm
Bullet Tip – 2mm



Contents
13cc permanent,
smear resistant ink



Industrial Marker Duo



Qty 12

Features & Benefits

- Permanent ink marker suitable for surfaces that need an indelible mark
- Xylene-free, fast-dry formula
- Reversible bullet/chisel tip
- Suitable for marking on wood, plastics, metals and cardboard

Duo Black	12091001
Duo Red	12091002
Duo Blue	12091003
Duo Green	12091004



Pen Dimensions
134mm x 16mm



Mark Width
Chisel Tip – 4mm
Bullet Tip – 2mm



Contents
10cc permanent ink



Industrial Marker D90

Features & Benefits

- A refillable valve action marker that fits into convenient belt holster
- Refill with Dy-Mark Industrial Refillable Ink P200
- Ideal for heavy duty, frequent use industrial applications

D90 Black 10010002



Industrial Marker D10/Duo

Replacement Tips | Qty 12

D10/Duo Tips 12101004



Industrial Marker D90

(Accessories)

Marker D90 Tips (Bag of 10)	10010001
Marker D90 Holster	10010108



Industrial Refillable Ballmarker

Features & Benefits

- Permanent and fade resistant marks on surfaces including steel, timber and rubber
- Ink feed controlled by a flexible “squeeze flow” plastic bottle
- Hardened tips ensure economical ink usage
- Bottle (supplied empty) and tip sold separately
- Use with the Dy-Mark T400 or PB80 Ballmarker Refill Ink (See page 21)

Industrial Refillable Ballmarker

Ballmarker 4mm Tip	11040412
Ballmarker 6mm Tip	11040610
Ballmarker 8mm Tip	11040801
Ballmarker Bottle	11090100



INK MARKERS

Ink Marker i70



Permanent Ink
Qty 12

Features & Benefits

- Acrylic bullet tip with medium point
- Quick drying
- Waterproof marks

	i70 Black	12131201
	i70 Red	12131202
	i70 Blue	12131203

Pen Dimensions
149.5mm

Mark Width
Medium Tip
0.8mm – 1.8mm

Contents
Quick drying, xylene-free ink



Ink Marker i90



Permanent Ink
Qty 12

Features & Benefits

- Acrylic chisel tip
- Quick drying
- Waterproof marks

	i90 Black	12141201
	i90 Red	12141202
	i90 Blue	12141203

Pen Dimensions
149.5mm

Mark Width
Chisel Tip
0.5mm – 4.6mm

Contents
Quick drying, xylene-free ink



Ink Marker iMega



Permanent Ink
Qty 12

Features & Benefits

- Acrylic chisel tip
- Quick drying, permanent and hard wearing on most surfaces

	iMega Black	12171201
--	-------------	----------

Pen Dimensions
148.5mm

Mark Width
Chisel Tip
6mm – 16mm

Contents
Quick drying, xylene-free ink



Ink Marker iFine



Permanent Ink
Qty 10

Features & Benefits

- Marks on most difficult surfaces
- Quick drying, permanent and hard wearing on most surfaces
- Fade and water resistant

	iFine Black	12151001
	iFine Red	12151002
	iFine Blue	12151003

Pen Dimensions
137.3mm

Mark Width
Fine/Medium Tip
0.5mm – 1.8mm

Contents
Quick drying, xylene-free ink



Ink Marker iFlip



Permanent Ink
Qty 4 & 12

Features & Benefits

- Acrylic tip, medium point, longer cap off time
- Quick drying and waterproof marks
- Convenience of both bullet tip and chisel tip

	Box	
	iFlip Black	12 12161201
	iFlip Red	12 12161202
	iFlip Blue	12 12161203
	iFlip Mixed Colours	4 12170400



Pen Dimensions
140mm

Mark Width
Chisel Tip
0.73mm – 5.57mm
Medium Tip
0.71mm – 1.2mm

Contents
Quick drying, xylene-free ink



PAINT MARKERS

Paint Marker P10



Reversible Bullet/Chisel Tip
Qty 12

Features & Benefits

- High performance paint marker
- Bold, easy to read marks
- Xylene-free, fast dry formula
- Replaceable, heavy duty tips

	P10 Black	12071001
	P10 Red	12071002
	P10 Yellow	12071005
	P10 White	12071011



HEAVY DUTY REPLACEABLE TIP



Pen Dimensions
142mm x 14mm



Mark Width
2mm



Contents
10cc fast-drying,
Xylene-free paint

Paint Marker P20



Reversible Bullet/Chisel Tip
Qty 12

Features & Benefits

- High performance paint marker
- Bold, easy to read marks
- Xylene-free, fast dry formula
- Replaceable, heavy duty and reversible tips

	P20 Black	12072001
	P20 Red	12072002
	P20 Blue	12072003
	P20 Green	12072004
	P20 Yellow	12072005
	P20 Pink	12072009
	P20 White	12072011



AIRTIGHT CAP WITH POCKET CLIP



Pen Dimensions
135mm x 16mm



Mark Width
Chisel Tip 4mm
Bullet Tip 2mm



Contents
13cc fast-drying,
Xylene-free paint

Paint Marker P30



Broad Chisel Tip
Qty 6

Features & Benefits

- High performance marker
- Bold, easy to read marks
- Xylene-free, fast dry formula
- Replaceable, heavy duty tips

	P30 Black	12073001
	P30 Red	12073002
	P30 Yellow	12073005
	P30 White	12073011



Pen Dimensions
144mm x 19mm



Mark Width
7mm, 4mm, 2mm



Contents
17cc fast-drying,
Xylene-free paint

Paint Marker P10

Replacement Tips | Qty 12

	P10 Tips	12101001
--	----------	----------



Paint Marker P20

Replacement Tips | Qty 12

	P20 Tips	12101002
--	----------	----------



Paint Marker P30

Replacement Tips | Qty 12

	P30 Tips	12101003
--	----------	----------





PAINT MARKER WATER-BASED



Low Odour | Qty 12

Features & Benefits

- Durability makes it ideal for industrial applications
- Low VOC, odourless, water-based formula ensures a safer workplace
- Available with either a broad or fine nib



Paint Marker WB50 Water-Based Refillable

	Marker Wide Tip WB50 Black	12720101
	Marker Wide Tip WB50 Red	12720102
	Marker Wide Tip WB50 Blue	12720103
	Marker Wide Tip WB50 Yellow	12720105
	Marker Wide Tip WB50 White	12720111

Paint Marker WB10 Water-Based

	Marker Wide Tip WB10 Black	12730101
	Marker Wide Tip WB10 Red	12730102
	Marker Wide Tip WB10 Blue	12730103
	Marker Wide Tip WB10 Yellow	12730105
	Marker Wide Tip WB10 White	12730111

Paint Marker WB50 Water-Based (Accessories) Replacement Tips

	WB50 Tips	12720100
--	-----------	----------



Marker Refill Ink WB50

	Marker Refill Ink WB50 Black	12745001
	Marker Refill Ink WB50 Red	12745002
	Marker Refill Ink WB50 Blue	12745003
	Marker Refill Ink WB50 Yellow	12745005
	Marker Refill Ink WB50 White	12745011



Whilst Dy-Mark maintains standards second to none in our traditional markets, it is our Research and Development department that truly is the life blood of our business.

Our team is committed to innovation and development. Our products are conceived through imagination combined with market needs. Quality controlled laboratory development and testing is conducted by a team of chemists dedicated to getting things right "first time, every time". Combine this with expertise in designing contemporary packaging with flair and originality, Dy-Mark is able to bring the finished product to market quickly and efficiently with the commitment that you need to enhance your business.

If you have a particular need for a new product in your field, please contact us at info@dymark.com.au and we will try to make that idea a reality.



ARTLINE MARKERS



70, 90, 100 & 400XF | Qty 6, 12

Features & Benefits

Artline 70 – Permanent marker with bullet nib

Artline 90 – Permanent marker with medium chisel nib

Artline 100 – Permanent marker with large chisel nib

Artline 400XF – Xylene-free permanent paint marker with medium bullet nib

Artline Marker 70

Qty

70 Black	12	12017001
70 Red	12	12017002
70 Blue	12	12017003
70 Green	12	12017004

Artline Marker 90

Qty

90 Black	12	12019001
90 Red	12	12019002
90 Blue	12	12019003
90 Green	12	12019004

Artline Marker 100

Qty

100 Black	6	12011001
100 Red	6	12011002
100 Blue	6	12011003
100 Green	6	12011004

Artline Marker 400XF

Qty

400XF Black	12	12014001
400XF Red	12	12014002
400XF Blue	12	12014003
400XF Green	12	12014004
400XF Yellow	12	12014005
400XF White	12	12014011

IDEAL MARKER



Qty 12

Features & Benefits

- Valve-action marker, with dye-based permanent ink
- Fitted with heavy duty bullet shaped replaceable tip

Ideal Marker

Ideal Marker Black	30121201
--------------------	----------

Ideal Marker (Accessories) Replacement Tips

Ideal Marker Tips	30161200
-------------------	----------



Markers & Crayons

MARUZEN MARKER



Qty 12

Features & Benefits

- Heavy-duty industrial marker
- Marks on steel, glass, wood, plastic, paper and leather
- Low toxicity ink, replacement tips available

Maruzen Marker

	Maruzen Marker No. 4 Black	12704001
	Maruzen Marker No. 4 Red	12704002
	Maruzen Marker No. 4 Blue	12704003

Maruzen Marker (Accessories) Replacement Tips

	Maruzen Marker Tips	12704000
--	---------------------	----------

MARK-TEX TEXPEN



Qty 12

Features & Benefits

- Fine line ball point marker (3mm) with valve pump action
- Bright colour range is suitable for marking all surfaces

Mark-Tex Texpen

	Mark-Tex Texpen Black	12760101
	Mark-Tex Texpen Red	12760102
	Mark-Tex Texpen Blue	12760103
	Mark-Tex Texpen Green	12760104
	Mark-Tex Texpen Yellow	12760105
	Mark-Tex Texpen White	12760111

TRADES-MARKER



Qty 6

Features & Benefits

- Convenient, retractable grease pencil
- Suitable for use on plastic, glass, wood, metal, china, cardboard and paper
- Weather resistant marks that will not rub off
- No sharpening needed

Trades-Marker

	Trades-Marker White Refills	10096042
	Trades-Marker Yellow Refills	10096043
	Trades-Marker Black Refills	10096044
	Trades-Marker Red Refills	10096045
	Trades-Marker Orange Refills	10096009
	Trades-Marker Assorted Colours	10096000



TEKKIT TOUCH-UP PAINT PEN



Mixed Colours | Qty 12

Features & Benefits

- Unique touch up pen
- Designed to touch-up scratches and marks on the Colorbond® range of steel
- Ideal for use on garages, fencing, guttering and roofs

*Great for
Quick and Easy
Colorbond®
Touch Up's*

Tekkit Touch-Up Pen

	Tekkit Touch-Up Night Sky	12530101		Tekkit Touch-Up Plantation	12530117
	Tekkit Touch-Up Classic Cream	12530102		Tekkit Touch-Up Blue Ridge	12530118
	Tekkit Touch-Up Surfmist	12530103		Tekkit Touch-Up Windspray	12530119
	Tekkit Touch-Up Woodland Grey	12530104		Tekkit Touch-Up Ironstone	12530120
	Tekkit Touch-Up Manor Red	12530105		Tekkit Touch-Up Jasper	12530121
	Tekkit Touch-Up Deep Ocean	12530106		Tekkit Touch-Up Bushland	12530122
	Tekkit Touch-Up Cottage Green	12530107		Tekkit Touch-Up Summershade	12530123
	Tekkit Touch-Up Wilderness	12530108		Tekkit Touch-Up Riversand	12530124
	Tekkit Touch-Up Torres Blue	12530109		Tekkit Touch-Up Estate	12530125
	Tekkit Touch-Up Pale Eucalypt	12530110		Tekkit Touch-Up Harvest	12530126
	Tekkit Touch-Up Paperbark	12530112		Tekkit Touch-Up Domain	12530127
	Tekkit Touch-Up Headland	12530113		Tekkit Touch-Up Thredbo	12530128
	Tekkit Touch-Up Sandbank	12530114		Tekkit Touch-Up Evening Haze	12530129
	Tekkit Touch-Up Shale Grey	12530115		Tekkit Touch-Up Loft	12530130
	Tekkit Touch-Up Dune	12530116		Tekkit Touch-Up Monument	12530131



RED-RITER® MARKER



Features & Benefits

- Ideal for metal layout and fabrication work
- High visibility on aluminium and stainless steel
- Marks are resistant to torch flames and will not rub off like soapstone

Red-Riter Marker (Accessories)

Qty

	Red-Riter Flat Refills	25	10096019
	Red-Riter Flat with Holder	1	10096005

SILVER-STREAK® MARKER



Features & Benefits

- Marks on all types of surfaces
- Ideal for metal layout and fabrication work
- Available in flat and round sizes
- Marks are resistant to torch flames and will not rub off like soapstone

Silver-Streak Marker (Accessories)

Qty

	Silver-Streak Flat W/Holder	1	10096004
	Silver-Streak Holder	10	10096017
	Silver-Streak Flat Refills	25	10096018

Silver-Streak Marker (Accessories)

Qty

	Silver-Streak Flat Refills	100	10096002
	Silver-Streak Round Refills	6	10096007
	Silver-Streak Round with Holder	1	10096006



MARKAL PAINTSTIKS

Markal Paintstik K

Qty 12

Features & Benefits

- Marks on extremely hot steel and marks will not run, char, discolour, peel or crack
- Ideal for marking on iron and steel castings, ingots, forgings, blooms, billets and high-temperature metal alloys
- Marking range: 982°C to 1204°C



Markal Paintstik H

Qty 144

Features & Benefits

- Bright colour range for higher visibility, ideal for marking hot coils, billets, slabs, bars and ingots
- Long-lasting, weather and fade resistant and marks will not run, char, discolour, peel or crack
- Marking range: 107°C to 593°C



Markal Paintstik H-T

Qty 144

Features & Benefits

- Ideal for marking hot coils, billets, slabs, bars and ingots
- Marks will not run, char, discolour, peel or crack, long-lasting, weather and fade resistant
- Marking range: 204°C to 871°C



Markal Paintstik K

Markal Paintstik K White	34081211
--------------------------	----------

Markal Paintstik H

Markal Paintstik H Black	34024401
Markal Paintstik H Red	34024402
Markal Paintstik H Blue	34024403
Markal Paintstik H Green	34024404
Markal Paintstik H Yellow	34024405
Markal Paintstik H White	34024411

Markal Paintstik H-T

Markal Paintstik H-T Black	34034401
Markal Paintstik H-T Red	34034402
Markal Paintstik H-T Blue	34034403
Markal Paintstik H-T Green	34034404
Markal Paintstik H-T Yellow	34034405
Markal Paintstik H-T White	34034411
Markal Paintstik H-T King White	34044411

Markal Paintstik B

Qty 12

Features & Benefits

- Weather and UV-resistant
- Ideal for layout, colour coding, fabrication and identification
- Marking range: -46°C to 66°C



Markal Paintstik B

Markal Paintstik B Black	34011201
Markal Paintstik B Red	34011202
Markal Paintstik B Blue	34011203
Markal Paintstik B Yellow	34011205
Markal Paintstik B Orange	34011206
Markal Paintstik B Brown	34011207
Markal Paintstik B Purple	34011208

Markal Paintstik B Pink	34011209
Markal Paintstik B Silver	34011210
Markal Paintstik B White	34011211
Markal Paintstik B Gold	34011212
Markal Paintstik B Grey	34011213
Markal Paintstik B Aluminium	34011215
Markal Paintstik B F/Yellow	34011225



MARKAL PAINTSTIKS

Markal Paintstik B-L

Qty 12

Features & Benefits

- Designed for fabricating structural steel or layout work where the marks are required to bleed through a primer coat covering the marks
- Marking range: -46°C to 66°C



Markal Paintstik P

Qty 12

Features & Benefits

- Designed for marking steel prior to the galvanising process
- Marks are completely removed in the pickling bath and will not interfere with the galvanising process
- Marking range: -46°C to 66°C



Markal Paintstik M

Qty 12

Features & Benefits

- Ideal for marking hot coils, billets, slabs, bars, ingots etc
- Will not come off in oil or water baths
- Marking range: Withstands 871°C



Markal Paintstik B-L

	Markal Paintstik B-L Blue	34061203
--	---------------------------	----------

Markal Paintstik P

	Markal Paintstik P White	34061211
--	--------------------------	----------

Markal Paintstik M

	Markal Paintstik M Black	34041201
	Markal Paintstik M Red	34041202
	Markal Paintstik M Yellow	34041205
	Markal Paintstik M White	34041211

Markal Paintstik Professional Set

Qty 12

Features & Benefits

- Blends easily on painting surfaces
- Non-toxic, set contains 12 colours
- Suitable for use on primed/unprimed canvas, primed masonite, fabrics and many non-porous surfaces

Markal Paintstik Professional Set

	Markal Paintstik Professional Set	10084000
--	-----------------------------------	----------



Markal Ultrascan

Qty 12

Features & Benefits

- Ideal for use with grade mark readers
- Polymer formula offers superior performance to conventional wax fluorescent crayons
- Writes on wet and green lumber, even with a fungicide coating



Markal Ultrascan

	Markal Ultrascan Red Orange	34882432
	Markal Ultrascan Rust	34882442
	Markal Ultrascan Blue Green	34882450
	Markal Ultrascan Bright Pink	34882451
	Markal Ultrascan Bright Orange	34882459
	Markal Ultrascan Dark Brown	34882462
	Markal Ultrascan Golden Rod	34882463

Markal All-Weather Paintstik

Qty 12

Features & Benefits

- Resists weather and fading
- Non-toxic, safer for animals
- Marks on wet or dry animals, making it ideal for sorting, grading, inoculation and identification
- Long lasting lines



Markal All-Weather Paintstik

	Markal All-Weather Orange	34509906
--	---------------------------	----------



LEVIATHAN INDUSTRIAL CRAYONS



Qty 12

Features & Benefits

- Wax crayons suitable for marking all surfaces
- Provides sensor recognisable marks, making them ideal for use with automatic saws and dockers

Leviathan Industrial Crayons

	Leviathan Industrial Black	12345601
	Leviathan Industrial Red	12345602
	Leviathan Industrial Blue	12345603
	Leviathan Industrial Yellow	12345605
	Leviathan Industrial White	12345611
	Leviathan Industrial FI/Red	12345622
	Leviathan Industrial FI/Orange	12345626

LEVIATHAN LUMBER CRAYONS



Qty 12

Features & Benefits

- Ideal for marking cartons, timber and tyres
- Economical use
- Suitable for civil works, engineering and construction applications

Leviathan No 3 Lumber Crayons

	Leviathan No 3 Lumber Crayon Black	12020301
	Leviathan No 3 Lumber Crayon Red	12020302
	Leviathan No 3 Lumber Crayon Blue	12020303
	Leviathan No 3 Lumber Crayon Green	12020304
	Leviathan No 3 Lumber Crayon Yellow	12020305
	Leviathan No 3 Lumber Crayon Brown	12020307
	Leviathan No 3 Lumber Crayon White	12020311
	Leviathan No 3 Lumber Crayon FI/Orange	12020326



MARKAL THERMOMELTS

Features & Benefits

- Accurate, fast, low-cost method for measuring surface temperatures
- Ideal for applications such as annealing, forging, welding, bending and forming
- Accurate to within $\pm 1\%$ of rated temperature
- Improved holder features a durable metal shaft and convenient pocket clip

Markal Thermomelts

Markal Thermomelts	Qty	
Thermomelts F100/38°C	1	34800100
Thermomelts F109/43°C	1	34800109
Thermomelts F113/45°C	1	34800113
Thermomelts F119/48°C	1	34800119
Thermomelts F125/52°C	1	34800125
Thermomelts F131/55°C	1	34800131
Thermomelts F138/59°C	1	34800138
Thermomelts F150/66°C	1	34800150
Thermomelts F163/73°C	1	34800163
Thermomelts F175/79°C	1	34800175
Thermomelts F182/83°C	1	34800182
Thermomelts F188/87°C	1	34800188
Thermomelts F194/90°C	1	34800194
Thermomelts F200/93°C	1	34800200
Thermomelts F206/97°C	1	34800206
Thermomelts F213/101°C	1	34800213
Thermomelts F219/104°C	1	34800219
Thermomelts F225/107°C	1	34800225
Thermomelts F238/114°C	1	34800238
Thermomelts F250/121°C	1	34800250
Thermomelts F256/124°C	1	34800256
Thermomelts F263/128°C	1	34800263
Thermomelts F269/132°C	1	34800269

Thermomelts F275/135°C	1	34800275
Thermomelts F282/139°C	1	34800282
Thermomelts F288/142°C	1	34800288
Thermomelts F294/146°C	1	34800294
Thermomelts F300/149°C	1	34800300
Thermomelts F306/152°C	1	34800306
Thermomelts F313/156°C	1	34800313
Thermomelts F319/159°C	1	34800319
Thermomelts F325/163°C	1	34800325
Thermomelts F331/166°C	1	34800331
Thermomelts F338/170°C	1	34800338
Thermomelts F344/173°C	1	34800344
Thermomelts F350/177°C	1	34800350
Thermomelts F363/184°C	1	34800363
Thermomelts F375/191°C	1	34800375
Thermomelts F388/198°C	1	34800388
Thermomelts F400/204°C	1	34800400
Thermomelts F413/212°C	1	34800413
Thermomelts F425/218°C	1	34800425
Thermomelts F438/225°C	1	34800438
Thermomelts F450/232°C	1	34800450
Thermomelts F463/239°C	1	34800463
Thermomelts F475/246°C	1	34800475
Thermomelts F488/253°C	1	34800488
Thermomelts F500/260°C	1	34800500
Thermomelts F525/274°C	1	34800525
Thermomelts F550/288°C	1	34800550
Thermomelts F575/302°C	1	34800575
Thermomelts F600/316°C	1	34800600
Thermomelts F625/329°C	1	34800625
Thermomelts F650/343°C	1	34800650
Thermomelts F700/371°C	1	34800700
Thermomelts F750/399°C	1	34800750

Thermomelts F800/427°C	1	34800800
Thermomelts F850/454°C	1	34800850
Thermomelts F900/482°C	1	34800900
Thermomelts F950/510°C	1	34800950
Thermomelts F1000/538°C	1	34801000
Thermomelts F1022/550°C	1	34801022
Thermomelts F1050/565°C	1	34801050
Thermomelts F1100/593°C	1	34801100
Thermomelts F1150/621°C	1	34801150
Thermomelts F1200/649°C	1	34801200
Thermomelts F1250/677°C	1	34801250
Thermomelts F1300/704°C	1	34801300
Thermomelts F1350/732°C	1	34801350
Thermomelts F1400/760°C	1	34801400
Thermomelts F1425/774°C	1	34801425
Thermomelts F1450/788°C	1	34801450
Thermomelts F1480/804°C	1	34801480
Thermomelts F1500/816°C	1	34801500
Thermomelts F1550/843°C	1	34801550
Thermomelts F1600/871°C	1	34801600
Thermomelts F1650/899°C	1	34801650
Thermomelts F1700/927°C	1	34801700
Thermomelts F1750/954°C	1	34801750
Thermomelts F1800/982°C	1	34801800
Thermomelts F1850/1010°C	1	34801850
Thermomelts F1900/1038°C	1	34801900
Thermomelts F1950/1066°C	1	34801950
Thermomelts F2000/1093°C	1	34802000
Thermomelts F2050/1121°C	1	34802050
Thermomelts F2100/1149°C	1	34802100
Thermomelts F2150/1177°C	1	34802150
Thermomelts F2200/1204°C	1	34802200
Thermomelts 200°C ExactC	1	34810200
Thermomelts 350°C ExactC	1	34810350

ENGINEERING CHALK



Qty 50, 100

Features & Benefits

- Ideal for industrial grade applications
- Economical and semi-permanent marking
- Quick and easy to layout jobs

Engineering Chalk

Engineering Chalk White 80x10x10	50	12051111
Engineering Chalk White 80x10x5	100	12051112




2-WHEEL SPOT MARKING HANDLE

Features & Benefits

- Ideal for trench digging and landscaping applications
- Lightweight aluminium construction improves efficiency and makes application less fatiguing
- Suitable for use with Spray & Mark and Landscape Chalk aerosols (See pages 8 & 16)

2-Wheel Spot Marking Handle

2-Wheel Spot Marking Handle 40090110



HANDY TIP

How to use Marking Handles

Step 1

Ensure can is in an inverted position and insert into can cylinder by pushing the backing spring towards the handle.



Step 2

Push the can down until you hear a clicking sound.



Step 3

Align trigger rod with can nozzle and pull trigger to release paint.




LONG ARM HANDLE

Features & Benefits

- Gives you that extra reach when you need it and assists in preventing back strain
- Lightweight aluminium construction improves efficiency and makes application less fatiguing
- Suitable for use with Spray & Mark and Landscape Chalk aerosols (See pages 8 & 16)

Long Arm Handle

Long Arm Handle 40080105





LINE MASTER

Line Marking Machine

Features & Benefits

- Easy to transport, ergonomic design with built-in side line attachment
- Heavy duty steel construction includes lightweight, removable handle for spot marking
- Includes utility tray and storage for up to 5 cans of Dy-Mark Line Marking Paint and Turf Master Paint (See pages 12 & 13)
- Line width adjustable between approximately 60mm and 100mm

Line Master

Line Master Line Marking Machine

41800203

HANDY TIP

Removable Marking Handle

Latch handle into place and tighten screw

Removable Marking Handle

High Adjustment (Width)

Top Cover

Side Line Attachment (Left or Right)

WATCH THE VIDEO ON | YouTube



Dy-Mark Line Master is designed to be used with Line Marking Paint and Turf Master Paint. (See pages 12 & 13)




MEASURING WHEEL



Features & Benefits

- Ideal for measuring distances to be spot marked
- Rugged construction for industrial environments
- Foldable handle and carry bag for easy transportation
- Suitable for surveying, plumbing, fencing and road construction

Measuring Wheel

	Measuring Wheel	40990001
---	-----------------	----------

SURVEY/FLAGGING PINS





Qty 500

Features & Benefits

- Ideal for marking buried cables, underground wire, etc.
- Suitable for mining, construction, surveying, forestry and numerous other applications

Survey/Flagging Pins (Fluoro)

	Flagging Pins Fluoro Blue	47780123
	Flagging Pins Fluoro Pink	47780129

SURVEY/FLAGGING TAPE







Qty 10

Features & Benefits






- Brightly coloured flags ideal for marking buried cable, underground wires, etc
- Suitable for mining, construction, surveying, civil works and other applications
- Hand tearable, high quality and durable tape



Survey/Flagging Tape

	Tape 25x100 Red	47760102
	Tape 25x100 Blue	47760103
	Tape 25x100 Green	47760104
	Tape 25x100 Yellow	47760105
	Tape 25x100 Orange	47760106
	Tape 25x100 White	47760111

Survey/Flagging Tape (Fluoro)

	Tape 25x100 Glo Red	47760122
	Tape 25x100 Glo Blue	47760123
	Tape 25x100 Glo Green	47760124
	Tape 25x100 Glo Yellow	47760125
	Tape 25x100 Glo Orange	47760126
	Tape 25x100 Glo Pink	47760129



MINE MARKING HANDLE

Ideal for extended non-contact marking

Features & Benefits

- Aluminium handle designed for use with Dy-Mark Mine Marking and Mine Marking Non-Flammable Paint (Vertical format cans only) (See pages 14 & 15)
- Extends up to 5 metres
- Ideal for extended non-contact marking
- Reduces repetitive back strain
- Ideal for marking mine ceilings and top of mine face

Mine Marking

Mine Marking Handle 3-5m Aluminium

38100603

↑
Extends from 3 to 5 metres

HANDY TIP

The Dy-Mark Mine Marking Handle has been designed to be used with Mine Marking Paint and Mine Marking Non Flammable Paint (See pages 14 & 15)



How to use the Mine Marking Handle

THREE EASY STEPS

STEP 1

Handle Preparation

Before extending handle, swing nozzle actuator out of the way and insert aerosol can.



STEP 2

Nozzle Actuation

Ensure string is in correct position to activate the nozzle when in operation.



STEP 3

Handle Extension

Slide out extension using slots to position handle at desired length.





METAL PROTECTION & FLOOR COATINGS



Metal Protection

Zinc Guard™ Application Guide	48
Zinc Guard™ Cold Galvanising Coating	49
Zinc Guard™ Silver Bright	49
Zinc Guard™ Silver Zinc	50
Zinc Guard™ Primers	50
Zinc Guard™ Etch Primer	51
Zinc Guard™ Rust Reformer	51
Zinc Guard™ Single Pack Epoxy Enamel	52
Zinc Guard™ Quick Dry Enamel	52



Floor Coatings

Epoxy Coat	53
TreadRite™	54



Tools and Accessories

Sealant Remover Tool	55
Sealant Applicator Tool	55



APPLICATION GUIDE

ZiNCTM GUARD



Product	Size	Condition			Surface Type	Finish & Colour
		New Steel	Rusted Steel	Previously Painted Old Surfaces	Galvanised Iron, Stainless Steel, Zinalume®, Aluminium, Copper & Brass	
Dy-Mark General Purpose Thinner	1L, 4L	Clean	Clean	Clean	Clean	
Zinc Guard™ Cold Galvanising Coating	400g, 500ml, 1L, 4L	Protect & Prime				Matt, Grey
Zinc Guard™ Primers (Red, White, Grey)	350g	Prime		Prime		Matt, (Red, Grey, White)
Zinc Guard™ Etch Primer	325g	Prime		Prime	Prime	Matt, Grey
Zinc Guard™ Rust Reformer	350g		Protect & Prime			Matt, Black
Zinc Guard™ Silver Zinc	400g	Prime & Top Coat Protection*		Prime & Top Coat Protection*	Top Coat Protection*	Metallic Silver, Silver
Zinc Guard™ Silver Bright	350g	Top Coat Protection*	Top Coat Protection*	Top Coat Protection*	Top Coat Protection*	Bright Metallic Lustre, Silver
Zinc Guard™ Single Pack Epoxy Enamel	325g	Top Coat Protection*	Top Coat Protection*	Top Coat Protection*	Top Coat Protection*	15 colours, Gloss & Flat (12 Standard, 1 Aluminium, 2 Flat colours)
Zinc Guard™ Quick Dry Enamel	325g	Top Coat Protection*	Top Coat Protection*	Top Coat Protection*	Top Coat Protection*	12 colours (Gloss, Flat & Satin)

Clean

Ensure the metal surface is clean and free from contaminants by using Dy-Mark General Purpose Thinner and a wire brush.

Protect & Prime

Protect surfaces from rust with an anti-corrosive paint coating.

Prime

Use appropriate primers from our range for each application to ensure optimal adhesion of Top Coat Protection to steel.

Prime & Top Coat Protection

Dual action of priming and top coating the material.

Top Coat Protection

A range of paints that provide specific top-coating solutions.

**For superior protection and adhesion, use appropriate Primers.*



ZINC GUARD™ COLD GALVANISING COATING



400g | Qty 12
500mL, 1L, 4L | Qty 1

Features & Benefits

- A zinc-rich high performance heavy duty corrosion inhibitive primer
- Contains 91% zinc in dry film
- Used extensively in metal fabrication
- Provides superior galvanic protection to new weld joints

Zinc Guard™ Cold Galvanising Coating (Horizontal Spray)

Cold Galvanising Matt Grey	230732006
----------------------------	-----------

Zinc Guard™ Cold Galvanising Coating (Bulk Paint)

Cold Galvanising Matt Grey	500ml	230731050
Cold Galvanising Matt Grey	1L	230731100
Cold Galvanising Matt Grey	4L	230731400



Suitable Surfaces

Steel, wrought iron & galvanised iron



Coverage

Aerosol Spray

Approximately 2 sqm per aerosol can (depending on the surface).

Brush-On

Approximately 6–8 sqm per litre



Drying Time

Touch dry in 20 minutes.
Recoat after 1 hour.
Hard dry in 16–24 hours



Ideal Application Temperature

Between 10°C and 40°C

HANDY TIP

Drying times will be slower in cold and humid conditions, in the absence of ventilation or where heavy film build is applied.

ZINC GUARD™ SILVER BRIGHT



350g | Qty 12

Features & Benefits

- Anti-corrosive silver paint designed to match the bright finish of hot dip galvanising
- Provides a tough and durable finish to steel and iron
- Suitable for use as a top coat over Dy-Mark Zinc Guard™ Cold Galvanising Coating

Zinc Guard™ Silver Bright (Horizontal Spray)

Bright Metallic Lustre	230732007
------------------------	-----------



Suitable Surfaces

Steel, iron & non-ferrous metals with appropriate primer



Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



Drying Time

Touch dry in 15–20 minutes.
Recoat after 1 hour. Hard dry in 16–24 hours.



Ideal Application Temperature

Between 10°C and 40°C



ZINC GUARD™ SILVER ZINC



400g | Qty 12

Features & Benefits

- 98.5% zinc purity
- Fast drying, dual-action - anti-corrosive primer and top coat
- Provides excellent adhesion, corrosion resistance and long lasting durability to metal surfaces

Zinc Guard™ Silver Zinc (Horizontal Spray)

Metallic Silver

230732008

HANDY TIP

Ideally used for galvanised surfaces including sheeting products and roofing sheets, clean mild steel and welded areas, neatly prepared primed surfaces, etc.



Suitable Surfaces

Steel, wrought iron, galvanised iron & non-ferrous metals such as: aluminium, alloys, stainless steel and Zinalume®



Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



Drying Time

Touch dry in 15–20 minutes. Recoat after 1 hour. Hard dry in 16–24 hours.



Ideal Application Temperature

Between 10°C and 40°C

ZINC GUARD™ PRIMERS



350g | Qty 12

Features & Benefits

- Suitable for use on wrought iron railings, fences, gates and other structural steel
- Quality primer range for clean and rusty metal surfaces
- Forms a tough barrier against corrosion, excellent adhesion properties and superior coverage for industrial use
- Ideal for top coating with Dy-Mark Zinc Guard™ enamel range of products (See page 48)

Zinc Guard™ Primers (Horizontal Spray)

Red Primer	230732002
White Primer	230732003
Grey Primer	230732004



Suitable Surfaces

Steel & Iron



Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



Drying Time

Touch dry 15-20 minutes. Recoat after 30 minutes or after 24 hours.



Ideal Application Temperature

Between 10°C and 40°C



ZINC GUARD™ ETCH PRIMER



325g | Qty 12

Features & Benefits

- Provides excellent adhesion for metal surfaces that are difficult to bond to
- Fast dry product, protection against corrosion

Zinc Guard™ Etch Primer (Horizontal Spray)

Etch Primer Matt Grey

230732001

HANDY TIP

Suitable for use on aluminium, galvanised iron, new steel, Zinalume® and alloys.



Suitable Surfaces

Aluminium, galvanised iron, new steel, Zinalume® and alloys



Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



Drying Time

Touch dry in 10 minutes
Recoat after 2 hours



Ideal Application Temperature

Between 10°C and 40°C

ZINC GUARD™ RUST REFORMER



350g | Qty 12

Features & Benefits

- Chemically converts rust on metal surfaces into a tough barrier against further corrosion
- Dries to a flat, black finish within 40 minutes
- Suitable as a stand-alone finish and can also be top-coated if necessary

Zinc Guard™ Rust Reformer (Horizontal Spray)

Black

230732005



Suitable Surfaces

Rusty metal surfaces such as steel & iron



Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



Drying Time

Touch dry in 30–40 minutes
recoat at any time



Ideal Application Temperature

Between 10°C and 40°C



ZINC GUARD™ SINGLE PACK EPOXY ENAMEL



325g | Qty 12

Features & Benefits

- High build, direct to metal top coat with exceptional gloss levels
- Advanced zinc anti-corrosive formula for industrial use
- Provides a durable, long lasting finish with greater UV resistance



Suitable Surfaces

All metals



Coverage

Approximately 1.9 spm per aerosol can (depending on the surface)



Drying Time

Touch dry in 6 hours
Recoat after 16 hours
Hard dry 16 – 24 hours



Ideal Application Temperature

Between 10°C and 40°C

Zinc Guard™ Single Pack Epoxy Enamel (Horizontal Spray)

Flat Black	Flat	12	230732101
Ultramarine	Flat	12	230732314
Flat White	Flat	12	230732111
Gloss Black	Gloss	12	230732301
Signal Red	Gloss	12	230732302
Deep Ocean	Gloss	12	230732303
Cottage Green	Gloss	12	230732304
Golden Yellow	Gloss	12	230732305
Classic Cream	Gloss	12	230732309
Aluminium	Gloss	12	230732310
Gloss White	Gloss	12	230732311
Machine Grey	Gloss	12	230732313
Orange	Gloss	12	230732317
Jade	Gloss	12	230732315
Deep Indian Red	Gloss	12	230732316

ZINC GUARD™ QUICK DRY ENAMEL



325g | Qty 12

Features & Benefits

- Quick drying top coat (touch dry in 10–15 minutes)
- Protect surfaces against rust whilst providing superior coverage with a durable finish
- Ideal for both internal and external applications
- Suitable for use on all metal surfaces such as: fences, gates, doors, letter boxes, fabricated steel, brackets, trailers, factory equipment and machinery



Suitable Surfaces

Pre painted metal surfaces, steel, wrought iron, galvanised iron and non-ferrous metal such as; aluminium, alloys, Zinalume® and stainless steel



Coverage

Approximately 2m² per aerosol can (depending on the surface)



Drying Time

Touch dry in 10–15 minutes,
Recoat after 1 hour



Ideal Application Temperature

Between 10°C and 40°C

Zinc Guard™ Quick Dry Enamel (Horizontal Spray)

Flat Black	Flat	12	230932101
Satin Black	Satin	12	230932201
Clear	Gloss	12	230932300
High Gloss Black	Gloss	12	230932301
Signal Red R13	Gloss	12	230932302
Ocean Blue	Gloss	12	230932303
Brunswick Green	Gloss	12	230932304
Golden Yellow Y14	Gloss	12	230932305
Primrose	Gloss	12	230932309
Silver	Gloss	12	230932310
White	Gloss	12	230932311
Pewter Grey N63	Gloss	12	230932313



EPOXY COAT

Professional Floor Coating Kit

Features & Benefits

- Suitable for use on any interior concrete surface including workshops, and retail floors
- Seals and protects concrete surfaces with an easy one-coat application
- Kit covers a standard double garage (36–40 sqm)
- Industrial strength formula for superior resistance to heavy foot and vehicle traffic
- Resists hot tyre pick-up and protects against oil stains, beads water and simply wipes clean
- Durable gloss finish eliminates dust through sealing the surface to keep stored items and air cleaner



Suitable Surfaces
Interior Concrete



Coverage
36–40 sqm



Drying Time
Touch dry in 10 hours at 25°C
Recoat within 16–72 hours at 25°C



Ideal Application Temperature
Between 15°C – 35°C

Epoxy Coat Kit Colours

	Epoxy Coat Clear	41060800
	Epoxy Coat Warm White	41060811
	Epoxy Coat Slate	41060813
	Epoxy Coat Sand Dune	41060814
	Epoxy Coat Stone Beige	41060815

WATCH THE VIDEO ON



STEP
BY STEP



1. Prepare surface

Thoroughly scrub the surface using a stiff broom to remove dust, oil and grease spots. Etch the floor and rinse thoroughly with water. Allow the floor to dry completely.



2. Mix Activator into Base

Stir both Part A and Part B thoroughly. Pour Part A into a 12–20 Litre bucket and add Part B. Mix thoroughly for 5 minutes. If temperature is between 25–35°C, wait 15 minutes before applying coating. Wait 30 minutes if temperature is between 15–20°C.



3. Application

Use a good quality brush to paint the edges and areas where a roller cannot be used. Use a roller with 12mm to 16mm nap to apply an even coat to remaining area. Distribute the decorative chips evenly over the wet surface.



TREADRITE™



Slip Resistant Coating

350g | Qty 12 | 1L, 4L & 10L | Qty 1

Features & Benefits

- Ideal for interior and exterior untreated timber, concrete, primed metal and brick & clay pavers
- Creates durable slip resistant surfaces
- Resists cracking, peeling and exposure to petrol, oil and mild chemicals
- Easy to apply with uniform coverage
- Industrial applications include stairs, entrances and exit ways
- TreadRite™ (350g) has been tested for compliance with AS 4586:2013, Slip resistance of new pedestrian surface materials (classification P4). **Not suitable for use on ramps.**
- TreadRite™ (1L, 4L and 10L) have been tested for compliance with AS 4586:2013, Slip resistance of new pedestrian surface materials (classification P5). **Suitable for use on ramps.**



Suitable Surfaces

Untreated timber, concrete, primed metal and brick & clay pavers



Coverage

Aerosol Spray
Approximately 1.3–1.7sqm per aerosol can (depending on surfaces)

Brush-On

Safety Yellow – approx. 3–6m²
Clear & Black – approx. 5–10m²



Drying Time

Aerosol Spray
Touch Dry 1–2 hours (25°C).
Recoat after 2 hours.
Walk on 24–48 hours.

Brush-On

Touch dry 6–8 hours (25°C).
Recoat 24–36 hours (depending on film thickness).
Walk on in 24–48 hours.



Ideal Application Temperature

Between 10°C and 40°C

TreadRite™ (Horizontal Spray)

Clear	350g	12	23063500
Black	350g	12	23063501
Yellow	350g	12	23063505

TreadRite™ (Brush-On)

Clear	1L	1	23060100
Black	1L	1	23060101
Yellow	1L	1	23060105
Clear	4L	1	23060400
Black	4L	1	23060401
Yellow	4L	1	23060405
Clear	10L	1	23061000
Black	10L	1	23061001
Yellow	10L	1	23061005

WATCH THE VIDEO ON





SEALANT REMOVER TOOL




Qty 1

Features & Benefits

- Helps the beginner or expert remove any type of caulk/sealant, even if it has been in place for years
- No chemicals or mess
- Re-usable tool

Sealant Remover

	Sealant Remover	18201201
---	-----------------	----------

SEALANT APPLICATOR TOOL




Qty 1

Features & Benefits

- A handy, re-usable tool that helps to avoid sealant contamination
- Unique design evens out the distribution of sealant/caulking, forcing it into the gap
- A perfect finish – each time
- Easy to clean
- No mess

Sealant Applicator

	Sealant Applicator	18201202
---	--------------------	----------



MAINTENANCE



Aerosol Cleaner & Lubricants

Dy-Mark PROTECH® White Lithium Grease	57
Dy-Mark PROTECH® Wet PTFE Lubricant	57
Dy-Mark PROTECH® Chain Lubricant	57
Dy-Mark PROTECH® Dry PTFE Lubricant	58
Dy-Mark PROTECH® Dry Graphite Lubricant	58
Dy-Mark PROTECH® Silicone Lubricant	58
Dy-Mark PROTECH® Multi-Purpose Lubricant	59
Dy-Mark PROTECH® Penetrating Oil	59
Dy-Mark PROTECH® Lanolin Lubricant	59
Dy-Mark PROTECH® Contact Cleaner Flammable	60
Dy-Mark PROTECH® Contact Cleaner Non-Flammable	60
Dy-Mark PROTECH® Isopropyl Alcohol	60
Dy-Mark PROTECH® Brake & Parts Cleaner	61
Dy-Mark PROTECH® Brake & Parts Cleaner Non-Chlorinated	61
Dy-Mark PROTECH® Heavy Duty Degreaser	61
Dy-Mark PROTECH® Freeze Spray	62
Dy-Mark PROTECH® Air Duster	62



Cleaning Solvents

Cleaning Solvent 196	63
Graffiti Remover	63



Bulk Cleaners

Acetone	64
General Purpose Thinner	64
Enamel Thinner	64
Xylene	64
Lacquer Thinner	64





WHITE LITHIUM GREASE



300g | Qty 6

Features & Benefits

- High performance lithium based grease
- Provides long lasting lubrication for all metal to metal applications
- Excellent water and heat resistance
- Reduces friction whilst protecting against rust and corrosion
- Can work in extreme temperatures of -15°C to +115°C
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications



White Lithium Grease

42033001

WET PTFE LUBRICANT



300g | Qty 6

Features & Benefits

- A high performance PTFE based lubricant
- Provides excellent lubrication and protection whilst reducing friction and wear
- Can work in extreme temperatures of -45°C to +235°C
- Can be used on metal, glass, vinyl, rubber and plastics
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications



Wet PTFE Lubricant

42033002

CHAIN LUBRICANT



300g | Qty 6

Features & Benefits

- Heavy duty multi-purpose chain lubricant
- Resists high speed fling off while providing exceptional anti-wear and anti-corrosion performance even under the most severe operating conditions
- Can work in extreme temperatures of -10°C to +155°C
- Innovative 2 way actuator with locking tab

Chain Lubricant

42033003



DRY PTFE LUBRICANT

150g | Qty 6

Features & Benefits

- Multi purpose dry film lubricant
- Penetrates and bonds to metal, wood, rubber and most surfaces and will form a non-staining micro thin film that prevents sticking, reducing friction and wear
- Seals out moisture, inhibits corrosion and resists oil, dust and dirt build up
- Will not melt, freeze or wash off

<input type="checkbox"/>	Dry PTFE Lubricant	42031501
--------------------------	--------------------	----------



DRY GRAPHITE LUBRICANT

150g | Qty 6

Features & Benefits

- Multi-purpose dry powder lubricant that provides lubrication to surfaces which require unhindered sliding capability
- Finely ground powder for optimum penetration
- Lock lubricant

<input type="checkbox"/>	Dry Graphite Lubricant	42031502
--------------------------	------------------------	----------



SILICONE LUBRICANT

350g | Qty 6

Features & Benefits

- A high performance multi-purpose silicone spray that protects, waterproofs and lubricates
- Provides a thin, clear protective film which is non-staining and non-corrosive
- For use on metal, plastic, rubber and wood
- Can work in extreme temperatures of -40°C and +260°C
- Innovative 2 way actuator with locking tab

<input type="checkbox"/>	Silicone Lubricant	42033501
--------------------------	--------------------	----------



MULTI-PURPOSE LUBRICANT

60g, 400g | Qty 12

Features & Benefits

- A multi-use product that penetrates, lubricates, protects and displaces moisture
- It has hundreds of uses on the job, around the home, garden or garage
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications (400g can only)



Multi-Purpose Lubricant	60g	42030601
Multi-Purpose Lubricant	400g	42034002



PENETRATING OIL

400g | Qty 12

Features & Benefits

- High speed penetrant and lubricant that quickly penetrates rusted and seized metal parts
- Has a low viscosity that creeps into cracks, seams, threads and joints, loosening and freeing them instantly
- Helps prevent further corrosion
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications



Penetrating Oil	42034001
-----------------	----------



LANOLIN LUBRICANT

400g | Qty 6

Features & Benefits

- Safe and environmentally friendly product
- Lanolin (wool grease) is a natural substance derived from sheep wool
- Non-toxic, biodegradable, non-evaporative and provides long lasting lubrication and corrosion protection
- Moisture, salt and acid resistant without harming metal, plastics, paints, fibreglass, rubber or neoprene seals

Lanolin Lubricant	42034005
-------------------	----------



CONTACT CLEANER - FLAMMABLE



350g | Qty 6

Features & Benefits

- A stable, inert, high purity cleaning solvent
- Dries quickly and leaves no residue
- Non-corrosive, non-staining and contains no lubricants
- Excellent for cleaning oil, dirt, flux residue and condensation from precision electronics and electrical equipment
- Innovative 2 way actuator with locking tab

Contact Cleaner – Flammable

42033502

CONTACT CLEANER NON-FLAMMABLE



400g | Qty 6

Features & Benefits

- A stable, no flash point, non-conductive, inert, high purity cleaning solvent
- Dries quickly and leaves no residue
- Non-corrosive, non-staining and contains no lubricants
- Excellent for cleaning oil, dirt, flux residue and condensation from precision electronic and electrical equipment
- Innovative 2 way actuator with locking tab

Contact Cleaner – Non Flammable

42034004

ISOPROPYL ALCOHOL PRECISION CLEANER



275g | Qty 6

Features & Benefits

- High purity cleaning solvent
- Dries quickly and leaves no residue
- Non-corrosive, non-conducting and contains no lubricants
- Excellent for cleaning oil, dirt, dust, fingerprints, flux and polar soils from precision electronics and electrical equipment

Isopropyl Alcohol Precision Cleaner

42032701



BRAKE & PARTS CLEANER



500g | Qty 6

Features & Benefits

- Formulated for the rapid and safe removal of brake fluid, grease, oil and other contaminants from brake linings, pads, drums and other metal parts
- Leaves no residue
- Uses a 360° valve for upright and inverted applications



Brake and Parts Cleaner

42035001

BRAKE & PARTS CLEANER (NON-CHLORINATED)



350g | Qty 6

Features & Benefits

- Formulated for the rapid and safe removal of brake fluid, grease, oil and other contaminants from brake linings, pads, drums and other metal parts
- Non-staining, leaves no residue and is non-corrosive. This product does not contain carbon tetrachloride, silicones, CFC113 or methyl chloroform.
- Leaves no residue
- Uses a 360° valve for upright and inverted applications



Brake & Parts Cleaner (Non-Chlorinated)

42035002

HEAVY DUTY DEGREASER



400g | Qty 6

Features & Benefits

- Specifically formulated to provide effective and fast removal of tough grease, oil, dirt and grime
- Delivers a concentrated jet which works immediately on contact and is easy to rinse off with water
- Uses a 360° valve for upright and inverted applications



Heavy Duty Degreaser

42034003



FREEZE SPRAY



300g | Qty 6

Features & Benefits

- An efficient cooling system that instantly freezes surfaces to -50°C
- Powerful blast of propellant instantly chills suspect electrical and electronic components
- Non-flammable, plastic safe, leaves no residue and is non-abrasive
- Is also ideal for removing chewing gum or sweets from fabrics

Freeze Spray	42033004
--------------	----------

AIR DUSTER



235g | Qty 6

Features & Benefits

- A dry, multi-purpose cleaner for the safe removal of dust and lint from all delicate precision equipment
- Has a powerful burst of compressed gas which will remove dirt without any abrasion risk
- Non-corrosive and leaves no residue or condensation
- Ideal for off-site servicing when compressed air is not available

Air Duster	42032301
------------	----------



Normal Spray



Hard to reach areas



Locked



Unlocked



CLEANING SOLVENTS 196



1L, 20L

Features & Benefits

Cleaning Solvent 196 – ideal for thinning and cleaning alcohol based products such as R200 Ink, R600 Ink and T400 Ink

Cleaning Solvents

<input type="checkbox"/>	Cleaning Solvent 196	1L	31500100
<input type="checkbox"/>	Cleaning Solvent 196	20L	31502000

DID YOU KNOW?

Cleaning Solvent can be used with the R200 Ink, R600 Ink and T400 Ink.

(See pages 19 & 21)

GRAFFITI REMOVER



400ml | Qty 15

Features & Benefits

- Biodegradable citrus-based formula
- Removes most aerosol paints and felt pen graffiti
- Will not cause damage to the original surface
- Also effective in the removal of adhesives and chewing gum

Graffiti Remover

<input type="checkbox"/>	Graffiti Remover Pump Spray	33034000
--------------------------	-----------------------------	----------



R200 Ink



R600 Ink



T400 Ink



BULK CLEANERS



Acetone

General Purpose Solvent | 1L, 4L

Features & Benefits

- Paint thinner and cleaning solvent
- Ideal for removing overspray

Acetone

Acetone	1L	31010100
Acetone	4L	31010400



General Purpose Thinner

Premium Solvent | 1L, 4L

Features & Benefits

- Paint thinner for enamel and epoxy paints
- Ideal for removing overspray
- Cleaning up brushes, spray guns and equipment
- Suitable for surface preparation

General Purpose Thinner

General Purpose Thinner	1L	31010102
General Purpose Thinner	4L	31010402



Enamel Thinner

Premium Thinner | 1L, 4L

Features & Benefits

- Paint thinner for enamel paints
- Ensures a superior finish
- Ideal for cleaning up brushes, spray guns and equipment

Enamel Thinner

Enamel Thinner	1L	31010103
Enamel Thinner	4L	31010403



Xylene

Specialty Solvent | 1L, 4L

Features & Benefits

- Ideal for use as a cleaner and stripper
- Removes grease, oil and dirt
- Paint thinner for enamel and epoxy paints. Cleaning up brushes, spray guns and equipment

Xylene

Xylene	1L	31010101
Xylene	4L	31010401



Lacquer Thinner

Premium Solvent | 1L, 4L

Features & Benefits

- Lacquer thinner and cleaning solvent
- Higher strength than most spirits and thinners
- Suitable for surface preparation and cleaning
- General clean up

Lacquer Thinner

Lacquer Thinner	1L	31010104
Lacquer Thinner	4L	31010404



INDUSTRIAL PACKAGING



Tape

Masking Tape	66
Silver PVC Sealing & Joining Tape	66
PP31 Vibac Packing Tape	66
Stock Printed Tape	66
Tape Dispenser	66



Strapping

Polypropylene Hand Strapping	67
Heavy Duty Polypropylene Hand Strapping	67
Polypropylene Machine Strapping	67
Polypropylene Strapping Tools	68
Polypropylene Strapping Accessories	68
Steel Strapping	69
Steel Strapping Accessories	69
Steel Strapping Tools	69



Wrapping

Hand Stretchwrap & Accessories	70
Machine (Blown Film) Stretchwrap	70
Bundling Film & Accessories	70





Tape

TAPE



Masking Tape

Features & Benefits

- Hand tearable crepe paper suitable for masking or packaging

Masking Tape

	Qty	
12mmx50m	Roll 72	47311207
18mmx50m	Roll 48	47311807
24mmx50m	Roll 36	47312407
36mmx50m	Roll 24	47313607
48mmx50m	Roll 24	47314807



Silver PVC Sealing & Joining Tape

Features & Benefits

- Ideal for joining builders' film
- Also suitable for sealing and joining heavy gauge polythene sheets

Silver PVC Sealing & Joining Tape

	Qty	
48x30mx130um	Roll 60	47614810
48x30mx160um	Roll 60	47600110



PP31 Vibac Packing Tape

Features & Benefits

- Quality tape with natural rubber solvent-based adhesive ideal for despatch or general packaging use
- High breaking strain (30 micron gauge)

PP31 Vibac Packaging Tape

	Qty	
36mmx75m Clear	Roll 48	47053600
48mmx75m Clear	Roll 36	47054800
24mmx75m Brown	Roll 72	47052407
36mmx75m Brown	Roll 48	47053607
48mmx75m Brown	Roll 36	47054807



Stock Printed Tape

Features & Benefits

- Highlights contents of carton
- Strong, pre-printed packaged tape with strong adhesive

Stock Printed Tape

	Qty	
Printed Tape Fragile W/Care	Roll 36	17310100



Tape Dispenser

Features & Benefits

- Pistol grip tape dispensers suitable for tapes with thickness up to 50mm

Tape Dispenser

Tape Dispenser Pistol Grip	47800100
Tape Dispenser Blades	47800101



Strapping

POLYPROPYLENE HAND STRAPPING



Features & Benefits

- Available in a variety of breaking strains and widths
- Flexible and easy to use, supplied in a convenient dispenser box

Polypropylene Hand Strapping

12mmx1000m Blue	35011203
15mmx1000m Blue	35011503
19mmx1000m Blue	35011903

HEAVY DUTY POLYPROPYLENE HAND STRAPPING




Features & Benefits

- Available in a variety of breaking strains and widths
- Flexible and easy to use, supplied in a convenient dispenser box

Heavy Duty Polypropylene Hand Strapping

19mmx1000m Black	35021901
------------------	----------

POLYPROPYLENE MACHINE STRAPPING



Features & Benefits

- Available in either blue or clear
- Suitable for use with automatic or semi-automatic strapping machines

Polypropylene Machine Strapping

12x3000m S/A Blue	35051203
12x2500m S/A Clear	35061500



POLYPROPYLENE STRAPPING TOOLS



Poly Heavy Band Dispenser



Poly Tensioner CFH



Poly Crimper

Dispensers, Crimpers & Tensioners


Features & Benefits

- Dispenser – ideal for quick and easy roll changes, portable unit with storage area for tensioners & crimpers
- Crimpers – designed to crimp metal, snap-on seals
- Tensioners – adjustable width cutting and tensioning tool that will work in any position

Polypropylene Strapping Tools

Poly Heavy Band 19mm Dispenser	35300103
Poly Crimper 19mm Heavy Duty	35300201
Poly Crimper 12mm	35300300
Poly Crimper 15mm	35300500
Poly Tensioner 10–19mm	35300600
Poly Tensioner CFH 19mm HD	35300400

POLYPROPYLENE STRAPPING ACCESSORIES



Metal Seals Open



Metal Buckles



Plastic Buckles

Qty 1000

Features & Benefits

- Metal Seals Open – designed for use with poly strapping and manual sealing tools
- Plastic Buckles – quick and easy to use with hand tensioned poly strapping
- Metal Buckles – available in 3 widths for extra strength in strapping applications

Metal Strapping Seals for Polypropylene Accessories

Metal Seals Open 12mm	35210112
Metal Seals Open 15mm	35210115
Metal Seals Open 19mm HD	35210119

Plastic Strapping Buckles for Polypropylene Accessories

Plastic Buckles 12mm	35021200
Plastic Buckles 15mm	35021500
Metal Buckles 12mm HD	35200112
Metal Buckles 15mm HD	35200115
Metal Buckles 19mm HD	35200119

STEEL STRAPPING



Features & Benefits

- High tensile steel strapping supplied in longer rolls
- Safe to use – rounded edges, easy to handle when used with the steel strap dispenser

Steel Strapping

Steel Strap 12x200m 0.5mm	35250112
Steel Strap 15x208m 0.5mm	35250115
Steel Strap 19x210m 0.5mm	35250119
Steel Strap 16x706m 0.5mm HT	35240416
Steel Strap 19x378m 0.8mm HT	35250419
Steel Strap 32x250m 0.8mm HT	35250432

Zinc Steel Strapping

Zinc Steel Strap 19x210m 0.5mm	35240119
--------------------------------	----------

STEEL STRAPPING ACCESSORIES

Qty 1000

Features & Benefits

- Snap-On Seals - easy to apply, suitable for use with the steel strap crimper and available in 3 sizes
- Metal Seals - designed for use with steel strapping

Snap-On Seals for Steel Strapping (Accessories)

Snap-On Seals 12mm	35S012
Snap-On Seals 15mm	35S015
Snap-On Seals 19mm	35S019

Metal Seals for Steel Strapping (Accessories)

Metal Seals 32mm	35215436P
------------------	-----------

STEEL STRAPPING TOOLS



Steel Strapping Dispenser



Steel Strapping Cutter



Steel Strapping Crimper



Steel Strapping Tensioner

Features & Benefits


- Quality tools designed for use with Dy-Mark's Steel Strapping
- Heavy duty construction for long lasting use
- Easy to use

Steel Strapping Tools

Steel Strapping Dispenser W.Wheels	3518CR2S
Steel Strapping Crimper 12mm LD	3518C312
Steel Strapping Crimper 15mm LD	3518C315
Steel Strapping Crimper 19mm LD	3518C319
Steel Strapping Crimper 32mm LD	3518C332
Steel Strapping Crimper 19mm HD	3518SH19
Steel Strapping Cutter 10–32mm HD	3518CU32
Steel Strapping Cutter 12–19mm	3518CU30
Steel Strapping Tensioner 12–19mm HD	3518FH90
Steel Strapping Tensioner 12–19mm	3518S290
Steel Strapping Tensioner 19–32mm	3518S298

Steel Strapping Specifications

Product Code	Description	Size	Breaking Load	Gauge
35250112	Steel Strapping – Regular	12mm x 200m	530kg	0.5mm
35250115	Steel Strapping – Regular	52mm x 208m	654kg	0.5mm
35250119	Steel Strapping – Regular	19mm x 210m	775kg	0.5mm
35240416	Steel Strapping – High Tensile	52mm x 208m	1000kg	0.5mm
35240419	Steel Strapping – High Tensile	19mm x 378m	1551kg	0.8mm
35240432	Steel Strapping – High Tensile	32mm x 250m	2588kg	0.8mm
35240119	Steel Strapping – Zinc Coated	19mm x 210m	824kg	0.55mm



Wrapping

HAND STRETCHWRAP & ACCESSORIES



Blown Film

Features & Benefits

- Black stretch wrap is ideal for concealing the contents of a pallet (deterring theft during storage and transport)
- Durable polyethylene stretch film, excellent puncture resistance and useful in stabilising sharp or bulky objects

Hand (Blown Film) Stretchwrap

			Qty	
	500x450mx20um Clear	Roll	4	36052000
	500x450mx13um Clear	Roll	4	36062300
	500x400mx25um Black	Roll	4	36062501

Hand (Blown Film) (Accessories)

	Stretchwrap Handle	360HDPW
	Pallet Wrap Cone	360HDPS

MACHINE (BLOWN FILM) STRETCHWRAP



Features & Benefits

- A strong and durable machine wrap, useful for wrapping heavy, sharp and loose objects without tearing

Machine (Blown Film) Stretchwrap

			Qty	
	500x1500mx23um	Roll	4	36092300
	500x1419mx25um	Roll	4	36092500
	500x1800mx20um	Roll	4	36092000

BUNDLING FILM & ACCESSORIES



Features & Benefits

- Special stretchwrap film that sticks only to itself and not to the goods being wrapped
- Dispenser is a miniature hand-held system for quick and easy wrapping of small or irregular shaped items

Bundling Film

			Qty	
	100mmx300m Clear	Roll	24	36200000

Bundling Film Dispenser (Accessories)

	Dispenser	36200001
--	-----------	----------



DISTRIBUTION NETWORK

NT WAREHOUSE

NQ WAREHOUSE

HEAD OFFICE,
WAREHOUSE AND
MANUFACTURING

WA WAREHOUSE

VIC WAREHOUSE

Dy-Mark

Based in Darra, Brisbane, our National Call Centre consists of a team of highly skilled customer service agents, the call centre is trained to respond to a diverse range of calls.

Our vast product knowledge gives us the advantage to confidently answer customers' enquiries, quote prices, key orders, respond to technical issues and resolve any problems which may arise.

Our integrated online ordering system allows customers to place an order at any time and allows access to information about all our products.

To order



1300 396 275



1300 360 440



sales@dymark.com.au



www.dymark.com.au



Head Offices

Manufacturing | 89 Formation Street, Wacol QLD 4076

Head Office & National Distribution Centre | Unit 2/30 Bernoulli Street, Darra QLD 4076

Warehouses

North Queensland | 2/22 Langton Street, Garbutt QLD 4814

Victoria | 17A Westside Drive, Laverton North VIC 3026

Western Australia | Unit 1/13 Mallaig Way, Canning Vale WA 6155

Northern Territory | 2 Damaso Place, Woolner NT 0820

Tasmania | 34 Trevor Street, Ulverstone TAS 7315

National Sales & Enquiries

Phone | 1300 396 275

Fax | 1300 360 440

Email | sales@dymark.com.au

International Sales & Enquiries

Phone | +61 7 3327 3000

Fax | +61 7 3327 3009

Email | exportsales@dymark.com.au



www.dymark.com.au

