# TECHNICAL DATA SHEET

**Dy-Mark (Aust) Pty Ltd** PO Box 1556 • Toowong 4066 • Phone: 1300 396 275 • Fax: 1300 360 440 www.dymark.com.au



# Line Marking Paint [Water-Based] - Bulk



Dy-Mark's Water-Based Line Marking Paint is an environmentally friendly, acrylic finish designed for road marking in high temperature conditions.

# **DIRECTIONS FOR USE**

#### **Preparation**

Ensure that area to be marked is free from dust and all loosely adhered material. Wipe off contaminants such as oil and grease. The surface should be fully dry before application of the product.

### **Application**

Stir the content thoroughly using a broad paddle. Thin with a maximum of 5% water if required (depending on weather conditions). Apply uniformly using convenient method of application. Do not apply when surface temperature is below 10°C. This paint can be used with glass beads.

# **TECHNICAL DATA**

Size: 15 Litre Finish: Matt

**Colour:** White, Yellow, Black, Red

Consistency: Liquid

Suitable Surfaces: Concrete, bitumen

**Solvent Resistance:** Thermoplastic film is sensitive to alcohol and aromatic hydrocarbons

**Drying Time** (at 25°C & RH 60%): Touch dry – 5 minutes; Hard Dry: 1 hour

Cooler temperatures, humid conditions or a higher film thickness will require a longer

drving time

**Ideal Application Temperature:** Between 10°C and 40°C

Clean Up: Water

#### **STORAGE**

Store below 50°C. Do not store in direct sunlight or in vehicles under hot conditions. Keep container closed when not in use.

# **DISPOSAL**

Allow left over paint to dry and dispose of this residue in your normal rubbish. Dispose of container through an approved recycling scheme or seek advice from your local council regarding accepted disposal methods.

# SAFETY INFORMATION

# **NON-FLAMMABLE**

Dry film is non-toxic.

Please note that the slip resistance and performance of this product depends on many factors outside the control of Dy-Mark; including surface preparation, correct application and environmental conditions.

Dy-Mark recommends a risk assessment prior to use to determine if the product is suitable to the:

- Slip resistance required
- Surface type
- Volume of traffic
- Potential exposure to any surface contaminants e.g. water, solvents or chemicals

# **FIRST AID**

# **KEEP OUT OF REACH OF CHILDREN**

If swallowed: Do not induce vomiting.

**Eye contact:** In case of contact with eyes, rinse immediately with plenty of water. Seek medical advice from your doctor or Poisons Information Centre (Australia: 13 11 26; New Zealand: 0800 764 766).

**Note:** the information provided within this Technical Data Sheet is intended as a guide only. The performance of this product will depend on many factors outside the control of Dy-Mark; including surface type and environmental conditions. Refer to Material Safety Data Sheet for more information.