# **TECHNICAL DATA SHEET**



**Dy-Mark (Aust) Pty Ltd** PO Box 1556 Toowong 4066 Phone: 1300 396 275 Fax: 1300 360 440 www.dymark.com.au

## Dy-Mark PROTECH® ISOPROPYL ALCOHOL



**Dy-Mark PROTECH® Isopropyl Alcohol** is a high purity cleaning solvent. It dries quickly and leaves no residue. It is non-corrosive, non-conducting and contains no lubricants. It is excellent for cleaning oil, dirt, dust, fingerprints, flux and polar soils from precision electronics and electrical equipment.

#### **DIRECTIONS FOR USE**

#### **Recommended Uses:**

Printer heads, thermal printers, circuit boards, telephones, Plus keyboards, switches, controls, connectors, contacts, relays, motors, circuit breakers, terminals, tape heads, sensors and other uses.

#### **Application:**

**De-activate and isolate equipment before use. Do not use on energised equipment. Shake can** well. Shake can occasionally during use. Spray can in **UPRIGHT** position only. Spray onto surface from a distance of 15-20cms. Use extension tube for hard to reach areas. Repeat application if necessary. Allow product to dry completely and thoroughly. **Vent the system before restoring power.** When finished spraying, actuator can be set in lock position to prevent accidental actuation.

It is advisable to test on a sample before use. Maybe harmful to certain sensitive plastics. For all precision instruments, check with manufacturer.

#### TECHNICAL DATA

Size:	275g Aerosol
Colour:	Clear
Consistency:	Liquid
Propellant:	Hydrocarbon

#### STORAGE

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

#### DISPOSAL

Dispose of contents/container according to regional regulations.



### FIRST AID / SAFETY INFORMATION

Please refer to Safety Data Sheet before use. Safety data sheets are available from our website <u>www.dymark.com.au</u> or from the following QR code:



**Call a POISON CENTRE: Australia 13 11 26, New Zealand 0800 764 766** or doctor/physician if you feel unwell. Intentional misuse by deliberately inhaling contents can be harmful or fatal. **KEEP OUT OF REACH OF CHILDREN.** 

#### DISCLAIMER

The information provided within this Technical Data Sheet is intended as a guide only. The performance of this product will depend on many factors outside the control of Dy-Mark; including surface preparation, surface-specific conditions, surface types, correct application and environmental conditions.

Dy-Mark recommends customers undertake their own risk assessment prior to use, to determine the suitability of the product for the particular use intended.

It is essential that a sample of the product be applied to the intended area of use to ensure it is acceptable in appearance and finish and that it performs on the specific surface.

For further information please contact the Dy-Mark Sales and Customer Support Centre on 1300 396 275.