

TECHNICAL DATA SHEET

Dy-Mark (Aust) Pty Ltd

PO Box 1556 Toowong 4066

Phone: 1300 396 275 Fax: 1300 360 440

www.dymark.com.au



CONSUMER SAFETY WARNING

This product contains both Methylene Chloride and Perchloroethylene which are suspected of causing cancer. Use Personal Protective Equipment as required. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product.

Please refer to Safety Data Sheet before use for more details.

Dy-Mark® PROTECH® BRAKE AND PARTS CLEANER



Dy-Mark® PROTECH® Brake and Parts Cleaner is formulated for the rapid and safe removal of brake fluid, grease, oil and other contaminants from brake linings, pads, drums and other metals parts. It cleans without disassembling the brake unit, is non staining, leaves no residue and is non-corrosive. This product does not contain carbon tetrachloride, silicones, CFC113 or methyl chloroform. Its formula helps to stop disc brake squeal and eliminate clutch slippage.

FEATURES & BENEFITS

- Methylene Chloride and Perchloroethylene are fast drying solvents and are also used for their strong cleaning and degreasing power
- Fast evaporation and fast cleaning
- Non staining, non-corrosive, leaves no residue
- Does not contain silicones
- Cleans without disassembling brake unit
- Uses a 360 degree valve for upright and inverted applications for hard to reach areas
- Strong spray action for ease of cleaning
- Helps eliminate brake squeal

DIRECTIONS FOR USE

Recommended Uses:

Disc brakes, clutch plates, drum brakes, forklifts, linings, calipers, pads, industrial machinery, and other metal parts.

Application:

Shake can well. Shake can occasionally during use. **360 degree valve** enables spraying in upright and inverted positions. (Do not spray at 45 degree angle). Spray parts generously to remove brake fluid, grease, oil and other contaminants. Dry with soft cloth or allow to air dry. Repeat application if necessary. Do not spray on hot or running engines. Do not contact battery terminals or starter solenoid with can.

Do not use on painted surfaces. Prolonged exposure to rubber not recommended.

TECHNICAL DATA SHEET

Dy-Mark (Aust) Pty Ltd

PO Box 1556 Toowong 4066

Phone: 1300 396 275 Fax: 1300 360 440

www.dymark.com.au



TECHNICAL DATA

Size:	500g Aerosol
Colour:	Clear White
Consistency:	Liquid
Propellant:	Carbon Dioxide
Evaporation rate:	Very fast

STORAGE

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

DISPOSAL

Dispose of contents/container according to regional regulations.

FIRST AID / SAFETY INFORMATION

This product has been specially formulated for INDUSTRIAL USE ONLY.

Dy-Mark also has a specially formulated Non Chlorinated Brake & Parts cleaner in the PROTECH range available as an alternative option, which may be suitable for your application.

This product contains both Methylene Chloride and Perchloroethylene which are suspected of causing cancer. Obtain special instructions before use. Use appropriate Personal Protective Equipment as required. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Avoid breathing mist/vapours/spray.

If exposed or concerned: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water and soap.


Call a POISON CENTRE: Australia 13 11 26, New Zealand 0800 764 766 or doctor/physician if you feel unwell.

Intentional misuse by deliberately inhaling contents can be harmful or fatal.

KEEP OUT OF REACH OF CHILDREN.

Please refer to Safety Data Sheet before use for more details.

Safety Data sheets are available from our website www.dymark.com.au or from the following QR code:



TECHNICAL DATA SHEET

Dy-Mark (Aust) Pty Ltd

PO Box 1556 Toowong 4066

Phone: 1300 396 275 Fax: 1300 360 440

www.dymark.com.au



DISCLAIMER

The information provided within this Technical Data Sheet is intended as a guide only. The performance of this product will depend on many factors outside the control of Dy-Mark®; including surface preparation, surface-specific conditions, surface types, correct application and environmental conditions.

Dy-Mark® recommends customers undertake their own risk assessment prior to use, to determine the suitability of the product for the particular use intended.

It is essential that a sample of the product be applied to the intended area of use to ensure it is acceptable in appearance and finish and that it performs on the specific surface.

For further information please contact the Dy-Mark® Sales and Customer Support Centre on 1300 396 275.